JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 12
1975

Published by
Entomology Department, Bernice P. Bishop Museum
Honolulu, Hawaii, U.S.A.

EDITORIAL COMMITTEE

F. J. Radovsky, *Editor*
J. L. Gressitt, *Managing Editor*
J. M. Tenorio, *Associate Editor*
A. R. Barr
J. M. Brennan
A. W. A. Brown
W. G. Downs
R. O. Drummond
D. P. Furman
T. D. C. Grace
G. P. Holland
H. Hoogstraal
R. Kano
N. J. Marchette
J. Rageau
J. E. Scanlon
D. E. Sonenshine
I. Tarasevich
R. Traub
M. G. R. Varma
R. Zeledón
Assistant Editors: Eileen D'Araujo, Nancy Howarth
Business Manager: Wilmot Fitzgerald
Editorial Assistant: Dorothy Hoxie

Entomology Staff, Bishop Museum 1975

Keith Arakaki, Candida Cardenas, Eileen D'Araujo, Julita Dolormente, Glen Fukunaga, Wayne Gagné, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, Nancy Howarth, Dorothy Hoxie, June Ibara, David Kemble, T. C. Maa, Grace Nakahashi, Gordon M. Nishida, Richard Papp, Terry Parman, F. J. Radovsky (Chairman), Perlita Raros, G. A. Samuelson, Shirley Samuelson, Sylvia Steffan, W. A. Steffan, Sabina Swift, R. M. Taylor, JoAnn Tenorio, Joaquin Tenorio, Grace Elaine Thompson. *Associates in Entomology, Bishop Museum: Honorary Associates:* H. Balogh (Budapest), J. B. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr. (California), N. L. H. Krauss (Honolulu), C. E. Pemberton (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* P. F. Bellinger (California), C. J. Davis (Honolulu), N. Dobrotworsky (Melbourne), R. F. Forster (New Zealand), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), P. F. Mattingly (London), W. C. Mitchell (Honolulu), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), J. C. E. Riotte (Honolulu), B. Sugerman (Honolulu), J. M. Valentine (Miami). *Field Associate:* A. B. Mirza (Papua New Guinea).

Printed by Kyouridsha Co., Ltd.
Tokyo, Japan

CONTENTS OF VOLUME 12

ADKINS, T. R., JR see Noblet et al.

AHRENS, E. H., H. C. HOFMANN, J. L. GOODENOUGH & H. D. PETERSON—A field comparison of two strains of sterilized screwworm flies 691

AMIN, L. see Mulla et al.

ANDERSON, D. see Jupp et al.

ANDERSON, WILLIAM F. see Barker & Anderson

ARCHER, JOYCE A. see Downe & Archer

ARIAS, JORGE R. & MIR S. MULLA—Morphogenetic aberrations induced by a juvenile hormone analogue in the mosquito *Culex tarsalis* (DIPTERA: CULICIDAE) 309

ARIAS, JORGE R. & MIR S. MULLA—Postemergence effects of two insect growth regulators on the mosquito *Culex tarsalis* (DIPTERA: CULICIDAE) 317

ARLIAN, LARRY GEORGE—Dehydration and survival of the European house dust mite, *Dermatophagoides pteronyssinus* 437

ATMOSOEDJONO, SOEROTO see Lien et al., see Van Peenen et al.

AXTELL, R. C. see Dale & Axtell 12(5), 12(6)

BAILEY, DONALD L., T. L. WHITFIELD & G. C. LABRECQUE—Laboratory biology and techniques for mass-producing the stable fly, *Stomoxys calcitrans* (L.) (DIPTERA: MUSCIDAE) 189

BARKER, ROY J. & WILLIAM F. ANDERSON—Evaluation of β-exotoxin of *Bacillus thuringiensis* Berliner for control of flies in chicken manure 103

BARR, A. RALPH—A new intersex in *Culex pipiens* L. (DIPTERA: CULICIDAE). I. Description 562

BARR, A. RALPH see Lee et al., see Portaro & Barr

BARRETT, C. C. see Gingrich & Barrett

BELL, J. F. see Nelson et al.

BENACH, JORGE J. & WAYNE J. CRANS—Differential susceptibility of *Culex territans* and *Aedes triseriatus* (DIPTERA: CULICIDAE) to *Foleyella flexicauda* (NEMATODA: FILARIOIDEA) 209

BENNETT, WILLIAM C., GARTH N. GRAVES, JOHN R. WHEELER & BRYAN E. MILLER—Field evaluations of dichlorvos as a vapor toxicant for control of prairie dog fleas 354

BENNETT, W. C. see Cole et al., see Miller et al.

BERLIN, O. G. W., S. K. DWARAKANATH & R. S. PANDIAN—Relation between diel activity and respiration in *Armigeres subalbatus* (Coquillett) (DIPTERA: CULICIDAE) 479

BEROZA, MORTON see McGovern et al. 12(2), 12(3)

BHASIN, V. K. see Terry et al., see Pillai et al.

BODENSTEIN, OTELIA F. see McGovern et al.

BOŘKOVEC, A. B. see Terry et al., see Pillai et al.

BOROM, MARGERY see Eads & Borom

BRAM, R. A. see Rogoff et al.

BRENNAN, JAMES M. & J. E. M. H. VAN BRONSWIJK—Parasitic mites of Surinam. XXI. New records of Surinam and certain French Guiana chiggers with the description of a new species of *Loomisia* Brennan & Reed, 1972 (ACARINA: TROMBICULIDAE) 243

BRENNAN, J. M. see Yunker et al.

BRONSWIJK, J. E. M. H. VAN see Brennan & Bronswijk

BURDEN, G. S. & B. J. SMITTLE—*Blatella germanica*, *Periplaneta americana*, and *Monomorium pharaonis*: Control with insecticidal baits in an animal building and its insectaries 352

BURDEN, G. S. see McGovern et al.

BURGDORFER, WILLY—A review of Rocky Mountain spotted fever (tick-borne typhus), its agent, and its tick vectors in the United States 269

CARBREY, E. C. see Rogoff et al.

CARESTIA, RALPH R. see Frommer et al.

CARLEY, J. G. see Kay et al.

CASALS, JORDI see Converse et al.

CASTO, STANLEY D.—The effect of the postjuvenal molt in the House Sparrow on infestation of the quill mite, *Syringophiloidus minor* (Berlese) (ACARINA: SYRINGOPHILIDAE) 23

CASTO, STANLEY see Pence & Casto

CHAMBERLAIN, W. F.—Insect growth regulating agents for control of arthropods of medical and veterinary importance 395

CHANDLER, J. A., R. B. HIGHTON & M. N. HILL—Mosquitoes of the Kano Plain, Kenya. I. Results of indoor collections in irrigated and nonirrigated areas using human bait and light traps 504

CHANG, POTTER see Lee et al.

CHRISTENSEN, HOWARD A. & ARISTIDES HERRER—*Lutzomyia vespertilionis* (DIPTERA: PSYCHODIDAE): Potential vector of chiropteran trypanosomes in Panama....477
CLARK, GORDON M. see Sonenshine et al.
CLARK, P. H. see Cole et al.
CLARK, TRUMAN B. see Rogoff et al.
CLIFFORD, CARLETON M., HARRY HOOGSTRAAL & JAMES E. KEIRANS—The *Ixodes* ticks (ACARINA: IXODIDAE) of Nepal....115
CLIFFORD, C. M. see Nelson et al., see Sonenshine et al., see Yunker et al.
COCK, A. W. A. M. DE, A. FAIN, E. MÉNDEZ & F. S. LUKOSCHUS—*Marsupialichus marmosae*, n. sp. (ACARINA: GLYCYPHAGIDAE) from *Marmosa robinsoni isthmica*.... 55
CODY, ELAINE see Romoser & Cody
COLE, M. M., W. C. BENNETT, G. N. GRAVES, J. R. WHEELER, B. E. MILLER & P. H. CLARK—Dichlorvos bait for control of fleas on wild rodents....625
CONVERSE, JAMES D., HARRY HOOGSTRAAL, MAHMOUD I. MOUSSA, JORDI CASALS & MAKRAM N. KAISER—Pretoria virus: A new African agent in the tickborne Dera Ghazi Khan (DGK) group and antigenic relationships within the DGK group....202
CONVERSE, JAMES D. see Hoogstraal et al.
COOPER, C. LAWRENCE & JOHN L. CRITES—Arthropod parasites of passerine birds from South Bass Island, Ohio....483
COOPER, C. LAWRENCE, JAMES E. MADDEN & JOHN L. CRITES—Arthropod parasites of the Common Grackel in Ohio....262
CRAIG, D. A.—The larvae of Tahitian Simuliidae (DIPTERA: NEMATOCERA)....463
CRAIG, GEORGE B., JR see Paige & Craig
CRANS, WAYNE J. see Benach & Crans
CRITES, JOHN L. see Cooper & Crites, see Cooper et al.
CROOKSHANK, H. R. see Younger et al.
CROSS, J. H. see Lien et al.
CRYSTAL, MAXWELL M. & ROBERTO RAMIREZ—Screwworm flies for sterile-male releases: Laboratory tests of the quality of candidate strains....418
CRYSTAL, MAXWELL M. & ROBERTO RAMIREZ—Chemosterilization of screwworms (DIPTERA: CALLIPHORIDAE): Influence of age at time of treatment on sterility and longevity....423
CUNNINGHAM, J. R. see Kunz et al.
CURTIS, C. F. see Hossain & Curtis
DALE, W. E. & R. C. AXTELL—Flight of the salt marsh Tabanidae (DIPTERA), *Tabanus nigrovittatus, Chrysops atlanticus* and *C. fuliginosus:* Correlation with temperature, light, moisture and wind velocity....551
DALE, W. E. & R. C. AXTELL—Salt marsh Tabanidae (DIPTERA): Comparison of abundance and distribution in *Spartina* and *Juncus* habitats....671
DAVIES, D. M. see Troubridge & Davies
DEFOLIART, GENE R. see Jackson & DeFoliart 12(3), 12(4), see Watts et al.
DEVANEY, JOYCE A. & JOSE A. GARCIA—Longevity, oviposition, and fertility of several strains of the screwworm, *Cochliomyia hominivorax* (DIPTERA: CALLIPHORIDAE)....511
DEVANEY, JOYCE A. see Eddy et al.
DICKENSON, D. B. see McIntosh et al. II
DOS SANTOS, I. S. L. see McIntosh et al. I, II, III
DOUBE, B. M.—Regulation of the circadian rhythm of detachment of engorged larvae and nymphs of the argasid kangaroo tick, *Ornithodoros gurneyi*.... 15
DOUBE, B. M.—The biology of the kangaroo tick, *Ornithodoros* (*Pavlovskyella*) *gurneyi* Warburton (ACARINA: ARGASIDAE), in the laboratory....240
DOUBE, B. M. & A. C. G. HEATH—Observations on the biology and seasonal abundance of an encyrtid wasp, a parasite of ticks in Queensland....443
DOWNE, A. E. R. & JOYCE A. ARCHER—The effects of different blood-meal sources on digestion and egg production in *Culex tarsalis* Coq. (DIPTERA: CULICIDAE)....431
DRUDGE, J. H. see Sukhapesna et al.
DURHAM, K. A. see Hair et al.
DWARAKANATH, S. K. see Berlin et al.
EADS, R. B.—Unusual population buildups by *Hirstionyssus utahensis* (ACARINA: MESOSTIGMATA) on the Golden-mantled Ground Squirrel in the laboratory....701
EADS, RICHARD B. & MARGERY BOROM—Host and distributional records for the tick *Amblyomma inornatum* (Banks) (ACARINA: IXODIDAE), with descriptions of the immature stages....493
EASTON, EMMETT R.—Ectoparasites in two diverse habitats in western Oregon. II. Chiggers (ACARI: TROMBICULIDAE)....295

EASTON, EMMETT R. see Hoogstraal et al.
EDDY, GAINES W., JOYCE A. DEVANEY & BOBBY D. HANDKE—Response of the adult screwworm (DIPTERA: CALLIPHORIDAE) to bacteria-inoculated and incubated bovine blood in olfactometer and oviposition tests 379
ELLENWOOD, D. A. see Rutledge et al.
ELSON, M. M. see Kettle & Elson, see Kettle et al.
ESCHLE, J. L. see Kunz et al.
ESKAFI, F. M.—Increased efficiency in the mass production of *Hippelates collusor* (DIPTERA: CHLOROPIDAE).....575
FAIN, A. & B. R. LAURENCE—*Satanicoptes armatus*, n. gen., n. sp. (ASTIGMATA: SARCOPTIDAE), a new mite producing mange in the Tasmanian Devil (*Sarcophilus harrisii* Boitard).....415
FAIN, A. & J. O. WHITAKER, JR—*Xenoryctes nudus*, n. sp. (ACARINA: GLYCYPHAGIDAE), a new hypopus from the Smoky Shrew, *Sorex fumeus*, in North America.....369
FAIN, A. see Cock et al.
FALES, JOHN H. see McGovern et al.
FALLIS, A. M. & J. N. RAYBOULD—Response of two African simuliids to silhouettes and carbon dioxide.....349
FILIPPICH, CHERYL see Kay et al.
FOSTER, WOODBRIDGE A. & ARDEN O. LEA—Sexual behavior maturation in male *Aedes triseriatus* (DIPTERA: CULICIDAE): A re-examination.....459
FROMMER, ROBERT L., RALPH R. CARESTIA & ROBERT W. VAVRA, JR—Field evaluation of deet-treated mesh jacket against black flies (SIMULIIDAE).....558
GAD, AMIN M. see Ibrahim & Gad
GALANT, S. P. see Mulla et al.
GALINDO, P. see Tempelis & Galindo
GALUN, R. see Leahy et al. 12(3), 12(4)
GAN, ELSIE see Roberts et al.
GARCIA, JOSE J. see DeVaney & Garcia
GARRIS, GLEN I. & RAYMOND NOBLET—Notes on parasitism of black flies (DIPTERA: SIMULIIDAE) in streams treated with Abate®.....481
GARRIS, Glen I. see Kissam et al.
GARVIE, M. B. see Wilkinson & Garvie
GEMETCHU, T.—The biology of a laboratory colony of *Phlebotomus longipes* Parrot & Martin (DIPTERA: PHLEBOTOMIDAE) 661
GINGRICH, R. E. & C. C. BARRETT—Effect of dietary vitamin A on the innate resistance of cattle to infestation by larvae of *Hypoderma lineatum* (DIPTERA: OESTRIDAE) 13
GOFF, M. LEE—A new species of chigger (ACARINA: TROMBICULIDAE) from the Midway Islands..... 52
GOODENOUGH, J. L. see Ahrens et al.
GOUCK, H. K. see Schreck et al.
GRAVES, GARTH N. see Bennett et al., see Cole et al., see Miller et al.
GRETZ, GORDON H. see Rogoff et al.
GRIMSTAD, P. R. see Watts et al.
GROTHAUS, R. H., J. R. HASKINS & J. T. REED—A simplified carbon dioxide collection technique for the recovery of live ticks (ACARINA).....702
GUNDELFINGER, B. F. see Lien et al.
HAIR, J. A., J. R. SAUER & K. A. DURHAM—Water balance and humidity preference in three species of ticks..... 37
HAIR, JAKIE A. see Koch & Hair, see Patrick & Hair 12(3): 389, 393, see Robertson et al. VI and VII, see Semtner & Hair
HANDKE, BOBBY D. see Eddy et al.
HARKRIDER, J. R. see Mulla et al.
HASKINS, J. R. see Grothaus et al.
HAYES, JACK—Seasonal changes in population structure of *Culex pipiens quinquefasciatus* Say (DIPTERA: CULICIDAE): Study of an isolated population.....167
HAYES, JACK & BARTHOLOMEW P. HSI—Interrelationships between selected meteorologic phenomena and immature stages of *Culex pipiens quinquefasciatus* Say: Study of an isolated population.....299
HEATH, A. C. G. see Doube & Heath, see Moorhouse & Heath
HELLENTHAL, RONALD A. see Price & Hellenthal 12(4), 12(6)
HERRER, ARISTIDES see Christensen & Herrer
HIGHTON, R. B. see Chandler et al.
HILL, M. N. see Chandler et al.
HOFMANN, H. C. see Ahrens et al.
HOOGSTRAAL, HARRY, MAKRAM N. KAISER & EMMETT R. EASTON—*Ornithodoros* (*Alectorobius*) *capensis*

Neumann (IXODOIDEA: ARGASIDAE) parasitizing a human and birds nesting on islands in East African lakes 703
HOOGSTRAAL, HARRY, MAKRAM N. KAISER, JANE B. WALKER, JOHN A. LEDGER, JAMES D. CONVERSE & ROBIN C. A. RICE—Observations on the subgenus *Argas* (IXODOIDEA: ARGASIDAE: *Argas*). 10. *A.* (*A.*) *africolumbae*, n. sp., a Pretoria virus-infected parasite of birds in southern and eastern Africa....194
HOOGSTRAAL, HARRY see Clifford et al., see Converse et al.
HOSSAIN, M. A. & C. F. CURTIS—The effect of selection on the fertility of translocation heterozygotes in the house fly.... 59
HSI, BARTHOLOMEW P. see Hayes & Hsi
HUGHES, L. E. see Yunker et al.
IBRAHIM, IBRAHIM A. & AMIN M. GAD—The occurrence of paedogenesis in *Eristalis* larvae (DIPTERA: SYRPHIDAE) 268
IRSIANA, RATNA see Van Peenen et al.
JACKSON, JOHN O. & GENE R. DEFOLIART—Some quantitative relationships of certain nidicolous Acari and the White-footed Mouse, *Peromyscus leucopus*....323
JACKSON, JOHN O. & GENE R. DEFOLIART—Relationships of immature *Dermacentor variabilis* (Say) (ACARI: IXODIDAE) with the White-footed Mouse, *Peromyscus leucopus*, in southwestern Wisconsin....409
JAMESON, E. W., JR & JOHN W. WHITAKER—Three new species of *Radfordia* (MYOBIIDAE: ACARINA) from rodents (MURIDAE & CRICETIDAE)....341
JOESOEF, ARBAIN see Lien et al.
JOHNSTON, LAURENCE see Rutledge et al.
JOSEPH, PETER L. see Van Peenen et al.
JUPP, P. G., B. M. MCINTOSH & D. ANDERSON—*Culex* (*Eumelanomyia*) *rubinotus* Theobald as vector of Banzi, Germiston and Witwatersrand viruses. IV. Observations on the biology of *C. rubinotus*....647
JUPP, P. G. see McIntosh et al. I
KADRI, ARBAIN BIN HAJI—Cross-resistance to an insect juvenile hormone analogue in a species of the *Anopheles gambiae* complex resistant to insecticides.... 10
KAISER, MAKRAM N. see Converse et al., see Hoogstraal et al. 12(2), 12(6)
KARUHIZE, G. see Leahy et al.
KAY, B. H., J. G. CARLEY & CHERYL FILIPPICH—The multiplication of Queensland and New Guinean arboviruses in *Culex annulirostris* Skuse and *Aedes vigilax* (Skuse) (DIPTERA: CULICIDAE)....279
KEIRANS, JAMES E.—A review of the phoretic relationship between Mallophaga (PHTHIRAPTERA: INSECTA) and Hippoboscidae (DIPTERA: INSECTA).... 71
KEIRANS, JAMES E.—Records of phoretic attachment of Mallophaga (INSECTA: PHTHIRAPTERA) on insects other than Hippoboscidae....476
KEIRANS, JAMES E. see Clifford et al., see Nelson et al., see Poché & Keirans
KEMEN, MATHIAS J., JR see McClain et al.
KEMP, G. E., V. H. LEE & DOROTHY L. MOORE—Isolation of Nyamanini and Quaranfil viruses from *Argas* (*Persicargas*) *arboreus* ticks in Nigeria....535
KETTLE, D. S. & M. M. ELSON—The immature stages of *Culicoides belkini* Wirth & Arnaud (DIPTERA: CERATOPOGONIDAE), with notes on pupal terminology....256
KETTLE, D. S., C. H. WILD & M. M. ELSON—A new technique for rearing individual *Culicoides* larvae (DIPTERA: CERATOPOGONIDAE)....263
KHALIL, GALILA M. & NAWAL M. SHANBAKY—The subgenus *Persicargas* (IXODOIDEA: ARGASIDAE: *Argas*). 21. The effect of some factors in the process of mating on egg development and oviposition of *A.* (*P.*) *arboreus* Kaiser, Hoogstraal & Kohls.... 47
KISSAM, J. B., RAYMOND NOBLET & GLEN I. GARRIS—Large-scale aerial treatment of an endemic area with Abate® granular larvicide to control black flies (DIPTERA: SIMULIIDAE) and suppress *Leucocytozoon smithi* of turkeys....359
KISSAM, J. B. see Noblet et al.
KNAPP, F. W. see Sukhapesna et al.
KOCH, HENRY G. & JAKIE A. HAIR—The effect of host species on the engorgement, molting success, and molted weight of the Gulf Coast tick, *Amblyomma maculatum* Koch (ACARINA: IXODIDAE)....213
KOSIN, E. see Lien et al.
KOSMAN, L. see Lien et al.
KUNZ, S. E., J. L. ESCHLE & J. R. CUNNINGHAM—Methods of estimating sterility in a field population of horn flies (DIPTERA: MUSCIDAE)....631
KUNZ, THOMAS H.—Observations on the winter ecology of the bat fly *Trichobius corynorhini* Cockerell (DIPTERA: STREBLIDAE)....513
LABRECQUE, G. C. & D. W. MEIFERT—Sterility of stable flies, *Stomoxys calcitrans* (L.) (DIPTERA: MUSCIDAE), exposed to treated surfaces or diets....261

LaBrecque, G. C. see Bailey et al.
Lane, Robert S.—Density and diversity of immature Tabanidae (Diptera) in relation to habitat type in Mendocino County, California....683
Laurence, B. R. see Fain & Laurence
Layton, Edward C. & Daniel E. Sonenshine—Description of a gland associated with the foveae dorsales in 2 species of *Dermacentor* ticks, and its possible role in sex pheromone activity (Metastigmata: Ixodidae) 287
Lea, Arden O. see Foster & Lea
Leahy, Sister M. G., G. Karuhize, C. Mango & R. Galun—An assembly pheromone and its perception in the tick *Ornithodoros moubata* (Murray) (Acari: Argasidae)....284
Leahy, Sister M. G., S. Sternberg, C. Mango & R. Galun—Lack of specificity in assembly pheromones of soft ticks (Acari: Argasidae)....413
Ledger, John A. see Hoogstraal et al.
Lee, Chung, A. Ralph Barr & Potter Chang—A new intersex in *Culex pipiens* L. (Diptera: Culicidae). II. Inheritance....567
Lee, V. H. see Kemp et al.
Lewis, D. J.—The *Lutzomyia flaviscutellata* complex (Diptera: Psychodidae)....363
Lien, J. C., Soeroto Atmosoedjono, Alex Unu Usfinit & B. F. Gundelfinger—Observations on natural plasmodial infections in mosquitoes and a brief survey of mosquito fauna in Belu Regency, Indonesian Timor 333
Lien, J. C., L. Kosman, F. Partono, Arbain Joesoef, E. Kosin & J. H. Cross—A brief survey of mosquitoes in North Sumatra, Indonesia....233
Lukoschus, F. S. see Cock et al.
Lyons, E. T. see Sukhapesna et al.
Madden, James E. see Cooper et al.
Magnarelli, L. A.—A portable battery-powered aspirator for mosquito collection....308
Magnarelli, L. A.—Physiological age of Tabanidae (Diptera) in eastern New York State, U.S.A. 679
Mango, C. see Leahy et al. 12(3), 12(4)
Matthysse, John G. see McClain et al.
McClain, David S., John G. Matthysse & Mathias J. Kemen, Jr—Biological notes on three species of Tabanidae (Diptera) obtained during experiments on transmission of equine infectious anemia of horses.... 65
McGovern, Terrence P., Otelia F. Bodenstein, John H. Fales & Morton Beroza—*N,N*-disubstituted *n*-aliphatic amides as repellents for four cockroach species....259
McGovern, Terrence P., G. S. Burden & Morton Beroza—*n*-alkanesulfonamides as repellents for the German cockroach [Orthoptera (Dictyoptera): Blatellidae]....387
McIntosh, B. M., D. B. Dickinson, G. M. Meenehan & I. S. L. Dos Santos—*Culex* (*Eumelanomyia*) *rubinotus* Theobald as vector of Banzi, Germiston and Witwatersrand viruses. II. Infections in sentinal hamsters and wild rodents....641
McIntosh, B. M., I. S. L. Dos Santos & G. M. Meenehan—*Culex* (*Eumelanomyia*) *rubinotus* Theobald as vector of Banzi, Germiston and Witwatersrand viruses. III. Transmission of virus to hamsters by wild-caught infected *C. rubinotus*....645
McIntosh, B. M., P. G. Jupp, I. S. L. Dos Santos & G. M. Meenehan—*Culex* (*Eumelanomyia*) *rubinotus* Theobald as vector of Banzi, Germiston and Witwatersrand viruses. I. Isolation of virus from wild populations of *C. rubinotus*....637
McIntosh, B. M. see Jupp et al.
Meenehan, M. see McIntosh et al. I, II, III
Meifert, D. W. see LaBrecque & Meifert
Méndez, E. see Cock et al.
Miller, Bryan E., William C. Bennett, Garth N. Graves & John R. Wheeler—Field studies of systemic insecticides. I. Evaluation of phoxim for control of fleas on cotton rats....425
Miller, Bryan E. see Bennett et al., see Cole et al.
Miller, Lyle D. see Morgan & Miller
Miller, R. W. & L. G. Pickens—Feed additives for control of flies on dairy farms (Diptera: Muscidae)....141
Moore, Dorothy L. see Kemp et al.
Moorhouse, Douglas E. & Allen C. G. Heath—Parasitism of female ticks by males of the genus *Ixodes*....571
Morgan, Neal O. & Lyle D. Miller—Muscidae (Diptera): Experimental vectors of hog cholera virus....657
Moussa, Mahmoud I. see Converse et al.
Mulla, M. S., J. R. Harkrider, S. P. Galant & L. Amin—Some house-dust control measures and abundance of *Dermatophagoides* mites in southern California (Acari: Pyroglyphidae).... 5
Mulla, Mir S. see Arias & Mulla 12(3): 309, 317

MULLEN, GARY R.—Acarine parasites of mosquitoes. I. A critical review of all known records of mosquitoes parasitized by mites..... 27
NAYER, J. K. & D. M. SAUERMAN, JR—The effects of nutrition on survival and fecundity in Florida mosquitoes. Part 1. Utilization of sugar for survival..... 92
NAYAR, J. K. & D. M. SAUERMAN, JR—The effects of nutrition on survival and fecundity in Florida mosquitoes. Part 2. Utilization of a blood meal for survival..... 99
NAYAR, J. K. & D. M. SAUERMAN, JR—The effects of nutrition on survival and fecundity in Florida mosquitoes. Part 3. Utilization of blood and sugar for fecundity 220
NELSON, W. A., J. E. KEIRANS, J. F. BELL & C. M. CLIFFORD—Host-ectoparasite relationships.....143
NOBLET, RAYMOND, J. B. KISSAM & T. R. ADKINS, JR—*Leucocytozoon smithi:* Incidence of transmission by black flies in South Carolina.....111
NOBLET, RAYMOND see Garris & Noblet, see Kissam et al.
NORMAN, J. O. see Younger et al.
PAIGE, CHRISTOPHER J. & GEORGE B. CRAIG, JR—Variation in filarial susceptibility among East African populations of *Aedes aegypti*.....485
PANDIAN, R. S. see Berlin et al.
PARTONO, F. see Lien et al.
PATRICK, CARL D. & JAKIE A. HAIR—Laboratory rearing procedures and equipment for multi-host ticks (ACARINA: IXODIDAE).....389
PATRICK, CARL D. & JAKIE A. HAIR—Ecological observations on *Dermacentor albipictus* (Packard) in eastern Oklahoma (ACARINA: IXODIDAE).....393
PATRICK, CARL D. see Robertson et al. VI and VII
PENCE, DANNY B. & STANLEY CASTO—Redescription and taxonomic status of *Entonyssus rileyi* Ewing, 1924 (DERMANYSSIDAE: ENTONYSSINAE), a lung mite from the Western Diamond-backed Rattlesnake, *Crotalus atrox*, in Texas.....622
PERALTA, P. H. see Yunker et al.
PETERSON, H. D. see Ahrens et al.
PHILIP, C. B. see Yunker et al.
PICKENS, L. G. see Miller & Pickens
PILLAI, M. K. K., V. K. BHASIN, P. H. TERRY & A. B. BOŘKOVEC—Structure-activity relationships of phosphorus amides in *Aedes aegypti* and *Culex pipiens fatigans* (DIPTERA: CULICIDAE).....497
PILLAI, M. K. K. see Terry et al.
POCHÉ, RICHARD M. & JAMES E. KEIRANS—Report of a tick, *Ornithodoros rossi* (ACARINA: ARGASIDAE), from the Spotted Bat, *Euderma maculatum* (CHIROPTERA: VESPERTILIONIDAE).....503
POCHÉ, RICHARD M. see Radovsky & Poché
PORTARO, J. K. & A. RALPH BARR—"Curing" *Wolbachia* infections in *Culex pipiens*.....265
POSEY, K. see Schreck et al.
PRICE, ROGER D. & RONALD A. HELLENTHAL—A review of the *Geomydoecus texanus* complex (MALLOPHAGA: TRICHODECTIDAE) from *Geomys* and *Pappogeomys* (RODENTIA: GEOMYIDAE).....401
PRICE, ROGER D. & RONALD A. HELLENTHAL—The *Geomydoecus* (MALLOPHAGA: TRICHODECTIDAE) from the Hispid Pocket Gopher (RODENTIA: GEOMYIDAE).....695
RADOVSKY, FRANK J. & RICHARD M. POCHÉ—First report of an ectoparasite, *Cryptonyssus desultorius* (ACARI: MESOSTIGMATA: MACRONYSSIDAE), associated with the Spotted Bat.....394
RAM, SARAVANA see Roberts et al.
RAMIREZ, ROBERTO see Crystal & Ramirez 12(4): 418, 423
RAPMUND, GARRISON see Roberts et al.
RAYBOULD, J. N. see Fallis & Raybould
REED, J. T. see Grothaus et al.
RICE, ROBIN C. A. see Hoogstraal et al.
ROBERTS, D. R. & J. E. SCANLON—The ecology and behavior of *Aedes atlanticus* D. & K. and other species with reference to Keystone virus in the Houston area, Texas.....537
ROBERTS, L. W., D. M. ROBINSON, GARRISON RAPMUND, J. S. WALKER, ELSIE GAN & SARAVANA RAM—Distribution of *Rickettsia tsutsugamushi* in organs of *Leptotrombidium* (*Leptotrombidium*) *fletcheri* (PROSTIGMATA: TROMBICULIDAE).....345
ROBERTSON, A. STERETT, CARL D. PATRICK, PAUL J. SEMTNER & JAKIE A. HAIR—The ecology and behavior of the lone star tick (ACARINA: IXODIDAE). VI. Response of unfed adults to certain environmental parameters 525
ROBERTSON, A. STERETT, CARL D. PATRICK, PAUL J. SEMTNER & JAKIE A. HAIR—The ecology and behavior of the lone star tick (ACARINA: IXODIDAE). VII. Pre- and post-molt behavior of engorged nymphs and larvae.....530
ROBINSON, D. M. see Roberts et al.

RODRIGUEZ, PAUL H.—Developmental effects of *Brugia pahangi* (NEMATODA: FILARIOIDEA) to high temperature in susceptible genotypes of *Aedes aegypti* (DIPTERA: CULICIDAE).....447
ROGOFF, W. M., E. C. CARBREY, R. A. BRAM, TRUMAN B. CLARK & GORDON H. GRETZ—Transmission of Newcastle disease virus by insects: Detection in wild *Fannia* spp. (DIPTERA: MUSCIDAE).....225
ROMOSER, WILLIAM S.—Buoyancy and ventilation in *Aedes aegypti* (L.) pupae (DIPTERA: CULICIDAE).....547
ROMOSER, WILLIAM S. & ELAINE CODY—The formation and fate of the peritrophic membrane in adult *Culex nigripalpus* (DIPTERA: CULICIDAE).....371
RUDBACH, J. A. see Sonenshine et al.
RUTLEDGE, L. C., D. A. ELLENWOOD & LAURENCE JOHNSTON—An analysis of sand fly light trap collections in the Panama Canal Zone (DIPTERA: PSYCHODIDAE).....179
SAROSO, J. SULIANTI see Van Peenen et al.
SAUER, J. A. see Hair et al.
SAUERMAN, D. M., JR see Nayar & Sauerman 12(1): 92, 99, 12(2)
SCANLON, J. E. see Roberts & Scanlon
SCHRECK, C. E., K. POSEY & H. K. GOUCK—Evaluation of the electrocutor grid fly trap baited with carbon dioxide against the stable fly, *Stomoxys calcitrans* (L.) (DIPTERA: MUSCIDAE).....338
SEMTNER, P. J. & JAKIE A. HAIR—Evaluation of CO_2-baited traps for survey of *Amblyomma maculatum* Koch and *Dermacentor variabilis* Say (ACARINA: IXODIDAE).....137
SEMTNER, PAUL J. see Robertson et al. VI and VII
SHANBAKY, NAWAL M. see Khalil & Shanbaky
SMALLEY, H. E. see Younger et al.
SMITTLE, B. J. see Burden & Smittle
SONENSHINE, DANIEL E., CONRAD E. YUNKER, CARLETON M. CLIFFORD, GORDON M. CLARK & J. A. RUDBACH—Contributions to the ecology of Colorado tick fever virus. 2. Population dynamics and host utilization of immature stages of the Rocky Mountain wood tick, *Dermacentor andersoni*.....651
SONENSHINE, DANIEL E. see Layton & Sonenshine
STERNBERG, S. see Leahy et al.
SUKHAPESNA, VICHITR, F. W. KNAPP, E. T. LYONS & J. H. DRUDGE—Effect of temperature on embryonic development and egg hatchability of the horse bot, *Gasterophilus intestinalis* (DIPTERA: GASTEROPHILIDAE).....391
TANNER, GARY D. & E. C. TURNER, JR—Seasonal abundance of *Culicoides* spp. as determined by three trapping methods..... 87
TEMPELIS, C. H. & P. GALINDO—Host-feeding patterns of *Culex* (*Melanoconion*) and *Culex* (*Aedinus*) mosquitoes collected in Panama.....205
TENORIO, JOANN M.—Three new species of *Laelaps* (*Echinolaelaps*) from Indonesia (ACARI: LAELAPIDAE)..... 77
TERRY, P. H., A. B. BOŘKOVEC, M. K. K. PILLAI & V. K. BHASIN—Uptake and metabolism of the chemosterilants hempa and thiohempa by larvae, pupae and adults of *Aedes aegypti* (L.) (DIPTERA: CULICIDAE)..... 57
TERRY, P. H. see Pillai et al.
TESH, ROBERT B.—Multiplication of Phlebotomus fever group arboviruses in mosquitoes after intrathoracic inoculation..... 1
THOMAS, J. A. see Willis & Thomas
TIKASINGH, ELISHA A.—Observations on *Lutzomyia flaviscutellata* (Mangabeira) (DIPTERA: PSYCHODIDAE), a vector of enzootic leishmaniasis in Trinidad, West Indies.....228
TROUBRIDGE, D. A. & D. M. DAVIES—Seasonal changes in physiological age composition of tabanid (DIPTERA) populations in southern Ontario.....453
TURNER, E. C., JR see Tanner & Turner
USFINIT, ALEX UNU see Lien et al.
VAN PEENEN, P. F. DIRK, SOEROTO ATMOSOEDJONO, RATNA IRSIANA, PETER L. JOSEPH & J. SULIANTI SAROSO—Isolation of Japanese encephalitis virus from mosquitoes near Bogor, West Java, Indonesia.....573
VAVRA, ROBERT W., JR see Frommer et al.
VOGEL, J. see Yunker et al.
WALKER, JANE B. see Hoogstraal et al.
WALKER, J. S. see Roberts et al.
WATTS, D. M., P. R. GRIMSTAD, G. R. DEFOLIART & T. M. YUILL—*Aedes hendersoni:* Failure of laboratory-infected mosquitoes to transmit LaCrosse virus (California Encephalitis Group).....451
WHARTON, G. W.—House dust mites.....577
WHEELER, JOHN R. see Bennett et al., Cole et al., Miller et al.
WHITAKER, J. W., JR see Fain & Whitaker, Jameson & Whitaker
WHITFIELD, T. L. see Bailey et al.
WILD, C. H. see Kettle et al.

WILKINSON, P. R. & M. B. GARVIE—Notes on the role of ticks feeding on lagomorphs and ingestion of ticks by vertebrates in the epidemiology of Rocky Mountain spotted fever....480
WILLIS, N. L. & J. A. THOMAS—Pyrethroid contact sprays against the house fly (*Musca domestica* L.)....457
WILTON, DONALD P.—Field evaluations of three types of light traps for collection of *Anopheles albimanus* Wiedemann (DIPTERA: CULICIDAE)....382
WOOD, SHERWIN F.—Tolerance of *Peromyscus* to the feeding of *Triatoma* (HEMIPTERA: REDUVIIDAE)....139
WRIGHT, J. E. see Younger et al.
YOUNGER, R. L., J. E. WRIGHT, H. E. SMALLEY, H. R. CROOKSHANK & J. O. NORMAN—Effects of 5 juvenile hormone analogues applied topically to cattle naturally infested with *Hypoderma* larvae (DIPTERA: OESTRIDAE)....517
YUILL, T. M. see Watts et al.
YUNKER, C. E., J. M. BRENNAN, L. E. HUGHES, C. B. PHILIP, C. M. CLIFFORD, P. H. PERALTA & J. VOGEL—Isolation of viral and rickettsial agents from Panamanian Acarina....250
YUNKER, CONRAD E. see Sonenshine et al.
Announcements....54, 56
Book Notice....422
Book Reviews....266, 340, 484, 502
Errata....76
Notices....86, 267, 358, 640
Publication Announcement....12
Review Articles....143, 269, 395, 577
Scientific Notes (listed also by author and title in volume contents)....137, 139, 141, 261, 262, 263, 265, 268, 308, 389, 391, 393, 394, 476, 477, 479 480, 481, 483, 503, 571, 573, 575, 701, 702, 703
Editorial Acknowledgments....704
General Index....705
Vertebrate Index....717
Contents of Vol. 12....iii

PUBLICATION DATES FOR VOLUME 12

No. 1, 30 April 1975
No. 2, 30 June 1975
No. 3, 25 September 1975
No. 4, 31 October 1975
No. 5, 30 December 1975
No. 6, 20 February 1976

GENERAL INDEX TO VOLUME 12, 1975

(New names are indicated by **boldface** type, synonyms by *italics*.)

Acalleomyia 234
Acanthonyssus dentipes.....252
proechimys 252
Acari 5, 77, 284, 295, 323, 394, 409. 413, 483, 595
anemia, equine infectious, transmission by horse flies.....65
acaricide, see pesticide
Acaridae 34, 605
Acaridei....586, 588, 591, 598, 605
Acariformes.....586, 595
Acarina 23, 52, 55, 115, 137, 143–44, 147, 149, 159, 213, 240, 243, 250, 262, 341, 369, 389, 393, 483, 493, 503, 525, 530, 684, 701–02
Acarus 605, 607
farris 588
siro 607, 611
Aedes.....33–34, 233, 238, 334–35, 371, 422, 435, 448, 487, 497, 501, 537
abserratus 28
aegypti.....1, 11, 51, 57, 92, 94, 96, 102, 220, 222–24, 234, 238, 309, 336, 371, 379, 435–36, 447, 459, 485, 497, 547, 566, 668, 670
formosus.....449, 505
queenslandensis 98
africanus 479
albolateralis 234
albopictus....1–3, 234, 336, 489–90
alboscutellatus 334
alternans 335–36
amesii 234
annulipes 32
annulipes group 28
arborealis 28
atlanticus 537
aureostriatus.....336
butleri 234
caecus 234
campestris.....28
canadensis 28
cantans.....28, 32, 102
cataphylla.....28
cinereus.....28, 32
circumluteolus.....28, 505
communis 28
communis group 28
curtipes 28
diantaeus 223
detritus 28, 102
dorsalis.....28, 505
excrucians.....28
fasciata 336
fitchii.....28
flavescens 28
formosensis 234
fowleri 505
fulvithorax 28
fulvus pallens..538–39, 542, 544–45
fumidus 234
hendersoni 451
hexodontus 28
hirsutus 505
increpitus 28
infirmatus.....538–39, 542
intrudens 223, 476
kermorganti 336
kochi 335
lineatopennis 234, 336, 505
longirostris 234
luteocephalus 505
lutescens 28
melanimon 396
metallicus 505
nigripes 28
nigromaculis.....396
nigrorhynchus 234
niphadopsis 28
ochraceus 505
pionips 28
pullatus 28
punctor.....28, 102, 476
quasiunivittatus 28
riparius 28
rusticus 32, 476
scapularis 28
septemstriatus 28
serratus 28
sierrensis 686
sollicitans.....92–94, 96–102, 220, 223–24, 447
sticticus.....28, 476
stimulans 28, 566
stimulans group 28
sudanensis.....505
taeniorhynchus.....92–94, 96–102, 220, 223–24
togoi 491
tonsus 335
tormentor 537–41, 543–46
trichurus 28
triseriatus....28, 92, 209, 371–73, 451–52, 459, 538–39, 543
trivittatus 28–29
ventrovittis 29
vexans 34, 336, 539
vexans 234
vigilax 279, 335–36
zoosophus 29
Aedimorphus 234, 336
Aedinus.....205
Aedomyia africana 505
Afrolistrophorus musculus 52
Alcaligenes faecalis 380
Alectorobius 703
Aleuroglyphus ovatus 610
allergy, house dust.....578–79, 599, 608–12
Amblycera 74, 146
Amblyomma...150, 158, 252–53, 536
americanum....37, 39, 44, 46, 138, 160, 272, 274, 287, 389, 525, 530, 702
auricularium 252
cajennense 252, 389
calcaratum 252
dissimile 252
geayi 252
hebraeum 147
inornatum 493
longirostre 252
maculatum...37, 39–46, 137, 213, 294, 389
nodosum 252
oblongoguttatum 252
ovale 252
parvum 253
philipi.....494
sabanerae 252
varium 252
Amblyomminae 293–94
Amblyseius 325
American cockroach 259
American dog tick....15–16, 137–38, 213, 269, 272, 288, 656
American house dust mite...440, 577, 600, 612
Ameroseiidae 325
Ameroseius 325
Analgesidae 262
Analgoidea 598
Androlaelaps 325
casalis 327, 329–30
glasgowi 327, 329–30
setosus 252
anemia, equine infectious.....65
Angora goat louse 399
Anguillula silusiae 263
Anopheles.....30, 32, 34, 223, 233, 238, 333–36, 371, 384–85, 422, 497, 509, 649
aconitus 233, 239, 335–36
albimanus 382
albopictus 422
albotaeniatus 238
algeriensis 29
annularis.....233, 239, 335–36
argyropus 238, 335
baezai 233, 238
barbirostris.....233, 239, 334–36
barbirostris 336
barbumbrosus 336
bifurcatus 29, 32
claviger.....29, 32
costalis 29
coustani 29, 505
crowfordi 238
crucians 29
farauti 239
fuliginosus.....336
typicus 336
funestus.....485, 505–09
funestus group 505
gambiae 10–11, 29, 447, 485, 505–09
gambiae complex.....505
hyrcanus 238
pseudopicta 335–36

implexus....29
indiensis....238
kochi....233, 239
koliensis....239
letifer....238
leucosphyrus....239
ludlowae....336
maculatus....29, 233, 239, 335
wilmori....29
maculipalpis....29
maculipennis....29, 32, 454
messeae....29
mauritianus....29
minimus....233, 239, 336
flavirostris....335–36
neomaculipalpus....385
nigerrimus....233, 238–39, 436
nimbus....29
paludis....29
peditaeniatus....233, 238–39
pharoensis....29, 32, 505–07
pseudopunctipennis....385
punctipennis....29
quadrimaculatus....34, 93–94, 96–102, 220, 222–24, 421
sinensis....30, 233, 238–39, 336
squamosus....30, 32, 505
stephensi....30, 436
subpictus....334–36
subpictus....336
sundaicus....233, 238, 334–36
tenebrosus....649
tessellatus....233, 239, 336
typicus....29
umbrosus....238
vagus....233, 239, 336
vagus....336
walkeri....30
yatsushiroensis....30
ziemanni....506–07
Anophelini....282
Anoplura....74, 143–44, 149–50, 154, 161
ant....352–53, 683, 686
fire....352
Pharaoh....353
anthrax....157
Antricola mexicanus....252
Apatolestes comastes willistoni....684
Aphonia....158
Aponomma....571
auruginans....571
inornata....494
arbovirus, see virus
Argas....47, 158, 194–95, 202, 535–36
abdussalami....195
africolumbae....194–95, 202
arboreus....47, 194, 535–36
brevipes....194
brumpti....413–14
cooleyi....194
dulus....194
falco....194
hermanni....194–95, 200, 202
himalayensis....194
miniatus....195
monachus....194
neghmei....194–95
persicus....15, 47–50, 158, 160, 284–86, 413–14
radiatus....195
reflexus....160, 194–95, 200
robertsi....195, 202
sanchezi....195
streptopelia....202
walkerae....195
zumpti....195
Argasidae....47, 143, 145, 158, 160, 194, 240, 252, 284, 413, 503, 703
Arisocerus....248
amapensis....243, 248–49
Arixenia....144
Armigeres....233–34, 238
flavus....234
malayi....234
subalbatus....234, 479
Arrenuridae....33
Arrenurus....28–31, 33
bisulcicodulus....29
buccinator....29
caudatus....29
crassicaudatus....29
globator....29, 31
fimbriator....29
integrator....29
knauthei....29
latus....29
madarai....30
nodosus....29
pugionifer....29
stecki....29
truncatellus....29
tubulator....29
arthropod....4, 13, 15, 17, 32, 148, 150, 153, 155–56, 160–61, 254, 262, 279, 323, 327, 329, 395, 399, 429, 483, 535, 583, 586, 602, 657
insect growth regulating agents for control....395
parasites of birds....262, 483
Ascaridia galli....151, 153
Ascidae....325
Ascoschoengastia dyscrita....252
Aspergillus anastelodomi....607
assassin fly....160
asthma....578, 610
bronchial....5, 612
Astigmata....52, 415
Atax....32
Atherix variegata....689
atopy, house-dust....5
Atylotus incisuralis....686, 688
Austrosimulium....474
tillyardianum 465, 471, 473
Bacillus....380–81
badius....380
brevis....380
cereus....379–80
circulans....380–81
megaterium....380
mycoides....380–81
pulvifaciens....380
stearothermophilus....380–81
subtilis....380
thuringiensis....103
bacteria....521–22
Gram-negative....523
Gram-positive....523
streptococcus....523
Bakerdania sellnicki....325
Basilia hispida....634
bat fly....631
ecology....631
Bdella longicornis....325
muscorium....325
Bdellidae....325
Beamerella....249
acutascuta....243, 247, 249
bed bug....399, 480
bee, bumble....324
honey....161
beetle....266
confused flour....449
diving....168
grass grub....379
Mexican bean....317
Bezzia....264
bird louse....73–74, 144, 146
biting fly....433, 453
biting louse....517
key to *Geomydoecus*....695
key to *texanus*-complex....401
new species....401, 695
new subspecies....401
phoresy....71, 476
biting midge....279
description of immature stages....256
pupal terminology....256
rearing technique....263
seasonal abundance....87
black blow fly....109
black fly....111, 359, 456, 463–64, 474, 481–82, 558
biology....463
control....359
geographical distribution....463
key to Tahitian species....463
morphology....463
parasitism....481
repellent jacket....558
response to silhouettes and CO_2....349
transmission of Leucocytozoon....111
Blankaartia....249
alleei....243, 247, 249, 252
sinnamaryi....244, 247, 249, 252
Blatta orientalis....259, 352
Blattella germanica....51, 259, 352, 387
Blatellidae....387
Bloomia....611
blow fly....268, 660, 692
body louse....146, 317
Bombus hyperboreus....476
Bontiella....598
bouilloni....598–99
Boophilus....145, 157
annulatus....153
calcaratus....148
microplus....15, 148, 150, 153, 219, 571
Boshkerria....249
punctata....244, 248–49, 252

bot, horse 391
  effect of temperature 391
bot fly.....522
botulism 161
Bovicola bovis.....151, 153
  equi 146
  limbata 399, 517
  meyeri 476
  ovis 146
Boydaia sturni 483
brown-banded cockroach.....259
brown dog tick 217
Brueelia 73
  clayae 483
  iliaci brevicolor 483
  nebulosa 483
  ornatissima.....262, 483
  subtilis.....483
Brugia 485
  malayi 237–39, 485
  pahangi 447, 485
  patei 490
Brumptomyia 181
bug.....140–41, 160–61
  bed 399, 480
  conenose, tolerance of *Peromyscus* to feeding 139
bumble bee.....324
Callidosoma.....30, 31, 34
Calliphora erythrocephala.....268
Calliphoridae.....379, 423, 511, 660
Carabidae.....685
cattle grub 13–15
  resistance of cattle to.....13
cattle louse.....151, 155
  cattle tick 148, 214
Cavernicola pilosa.....478
Cebalginae 598
Cecidomyiidae 268
Cediopsylla simplex 154
Cellia 233, 336
centipede 685
Ceratophyllidae 355
Ceratopogonidae ..256, 263, 279, 685
Chaetopsylla trichosa 476
Chagas' disease 141
Charletonia 28, 34
Chatia setosa 297–98
Chelicerata 595
Chelocnetha 464
chemosterilants 57
chewing louse.....144
Cheyletidae 34, 325, 605
Cheyletiella 160
Cheyletus 325, 606–08
  averso.....605, 608
  eruditus.....34, 607–08
chicken body louse.....144
chicken mite 702
chigger.....52, 145, 147, 160, 243, 251–54, 295, 345
Chironomidae 397
Chironomus 397
  attenuatus.....397
Chiroptonyssus.....252
  robustipes 149, 252
  venezolanus 252
Chloropidae 575
cholera, fowl 359
  hog 657, 672
Chorioptes bovis 145, 150
Chrysops.....454, 674, 679, 684–85, 687–89
  aberrans 456
  asbestos 684
  ater.....679, 681
  atlanticus.....551, 672, 674–75, 677, 679
  brimleyi 674
  caecutiens 454
  callidus 456, 679, 681
  cincticornis.....455–56, 680
  clavicornis.....685, 687
  coloradensis 685
  coquilletti 685
  cuclux 455–56
  dimidiata 679
  flavidus 674
  frigidus 454, 680
  fuliginosus.....551, 672, 674–75, 677, 679
  germinatus 680
  hirsuticallus 684, 687, 689–90
  indus 454, 679, 681
  lateralis 680
  macquarti 679, 681
  mitis 680
  moechus 456
  niger 455–56
  obsoletus 674
  pechumani 685, 689–90
  shermani 551, 680
  silacea 679
  surdus 685, 687
  univittatus 456, 680
  vittatus 454, 456, 681
  wileyae 685–87
Cimex 153–54
  lectularius.....151–53, 160
Clavidromus transvaalensis 608
Clinocerinae 689
Clostridium botulinum.....158
Cnephia 474, 482
Cochliomyia hominivorax...379, 418 423, 511, 691
  macellaria.....691
cockroach....51, 259–60, 352–53, 387
  control 352
  repellents 259, 387
  American 259
  brown-banded 259
  German 259, 387
  Oriental 259
Coelomycidium simulii.....481–82
Coleoptera 144, 684–86
Colicus 249
  icomi.....244, 247–49
  liomys 252
  oblonga.....246, 248–49
Colpocephalum turbinatum.....144
Columbicola columbae.....73, 144
Comatacarus americanus 297–98
conenose bug, tolerance of *Peromyscus* to feeding 139
confused flour beetle 449
conjunctivitis.....59, 158
  trachoma inclusion 276
Coquillettidia.....30, 33, 233
  arribalzagai 30
  aurites group 30
  fraseri 30
  fuscopennata 30
  maculipennis 30
  metallica 30
  nigricans 30
  perturbans 30
  pseudoconopas 30
  richiardii.....30
  venezuelensis 30
Costelytra zealandica 379
Coxiella burneti.....253–54
Crataerina pallida.....73
Crotiscus.....249, 252
  desdentatus.....252
  tissoti.....246, 248–49
Crotonasis fissa 252
Cryptonyssus 503
  desultorius 394, 503
Culex....30–31, 33, 170, 205, 233–34, 238, 334–36, 371, 384–85, 397, 422, 497, 501, 509, 547, 639, 649
  abominator.....30
  aikenii 205–08
  amazonensis 206, 208
  annulioris 30, 505
  annulirostris 279, 335
  annulus 234, 237, 334, 573
  antennatus 505, 509
  aurantapex 505
  bahamensis 92
  bihamatus.....335–36
  bitaeniorhynchus....234, 237, 239, 336, 573
  bukavuensis 30
  cinctellus.....234
  crybda 206
  decens 505
  digoelensis 335
  dunni 206, 208–09
  duttoni 505
  egcymon 206–07, 209
  elevator 206–09
  epanastasis 206–208
  erraticus 30
  ethiopicus 505
  fatigans 1–3, 220, 336
  foliatus 334
  fuscocephalus 234, 336, 573
  gelidus.....234, 573
  horridus 505
  inculus 234
  insignis 505
  laureli 336
  malayi.....334, 336
  neavi 505
  neovishnui 234
  nigripalpus.....93–95, 97–100, 220, 222, 371
  nigropunctatus 234
  obscurus 234
  peus 226
  pilosus 385
  pipiens.....34, 92, 265, 309, 397, 447, 562, 567, 639, 641

fatigans.....234, 238–39, 336, 385, 447, 497, 505
molestus.....171, 173–74
pipiens.....170–71, 174, 177, 397, 562
quinquefasciatus.....167, 226, 299, 316, 436, 485, 490, 497, 562
poicilipes.....505, 638
pseudovishnui..234, 237, 334, 336
reidi.....234
restuans.....169
rima.....505
rubinotus...505, 637, 641, 645, 647
rubithoracis.....234, 334
salinarius.....92, 545
schilfgaardei.....335
sinensis.....234, 573
sitiens.....234, 336
spathifurca.....234, 334
spissipes.....31
taeniopus.....31
tarsalis.....1, 31, 282, 306, 309, 317, 396, 431
tecmarsis.....206–07, 209
territans.....31, 209
thalassius.....649
theileri.....505, 637
tigripes.....505
tritaeniorhynchus.....573
summorosus.....234
univittatus.....1, 505
variatus.....234
versabilis.....335
vishnui.....334, 336
vomerifer.....31
whitei.....234, 237
whitmorei.....234, 573
Culicidae....57, 169, 209, 279, 309, 317, 371, 382, 431, 447, 459, 479, 497, 547, 562, 576, 686
Culicini.....282
Culicoides.....87, 256, 263–64, 282
alexanderi.....88
arakawae.....263
arboricola.....90, 263
austropalpalis.....264
belkini.....256
bickleyi.....89
biguttatus.....88
brevitarsis.....264
crepuscularis.....88
furens.....263
guttipennis.....88, 90–91
haematopotus.....90
hoffmani.....263
jamnbacki.....88–90
marmoratus.....264
marksi.....264
melleus.....263
molestus.....264
mulrennani.....90
narrabeenensis.....264
nubeculosus.....263
obsoletiformis.....223
paraensis.....88
piliferus.....91
pseudopiliferus.....88
sanguisuga.....88, 91, 264
scanloni.....88
schulzei.....263
snowi.....88
stellifer.....90
testudinalis.....88
travisi.....91
variipennis.....88, 282
victoriae.....264
Culiciomyia.....234
Culiseta.....31, 33
alaskaensis.....34
annulata.....34
impatiens.....31
inornata.....31
morsitans.....31–32
Cunaxa.....325
Cunaxidae.....325
Curvipes.....32
Cyclorrhapha.....686
Daphnia.....583
deer fly.....679
Deinocerites.....208–09
Demodex.....145, 147
aurati.....147, 150
bovis.....147
canis.....147
criceti.....152
folliculorum.....147, 150
Demodicidae.....145, 147
Dermacarus.....55
dermacentor, rabbit.....272
Dermacentor...157–59, 252, 287, 480
albipictus.....138, 145, 393
andersoni....13, 147–48, 150, 152, 155, 158–59, 269, 272, 288, 293, 345, 480, 651
imitans.....252
nigrolineatus.....393–94
occidentalis.....272
parumapertus.....273, 389
variabilis....16, 37, 39–43, 46, 137, 158, 213–14, 218, 269–70, 272–74, 288, 293, 389, 409, 480, 656
Dermanyssidae.....149, 622
Dermanyssoidea.....702
Dermanyssus gallinae.....702
Dermaptera.....144
Dermatophagoides....5, 437, 577–78, 593, 599–600, 602, 605, 607–08
africanus.....598
aureliani.....600, 602
bakeri.....601
crassus.....598
culinae.....600
dalarnaensis.....598
evansi.....580, 600, 602, 608
farinae...6–7, 437–38, 440–41, 577, 580, 584–86, 590–91, 593, 595, 597, 599–600, 602–03, 605–08, 611–12
halterophilus.....600, 602, 608
longior.....598
microceras.....591, 599, 600, 602, 608
neotropicalis...599, 600, 602, 608
passericola.....600
pteronyssinus....5–6, 8, 437, 577, 580, 583–86, 590–91, 595, 597, 599–600, 602, 605–08, 610–11
rwandae.....600, 602
scheremetewskyi.....599
sclerovestibulatus.....600, 602
Dermatophagoidinae.....599, 601
Dermoglyphus paradoxus.....601
pteronyssoides.....599
Diabolicoptes.....415
phascogale.....415
sarcophilus.....415
Diabolicoptinae.....415, 417
Diachlorus ferrugatus.....674
Dictyaptera.....387
Diplodontus.....32
Diptera....13, 57, 65, 71, 111, 141, 143–44, 167, 179, 183, 189, 209, 225, 228, 256, 261, 263, 268, 279, 309, 317, 338, 340, 359, 363, 371, 379, 382, 391, 423, 431, 447, 453, 459, 463, 476–77, 479, 481, 497, 511–13, 517, 547, 551, 558, 562, 567, 575, 631, 657, 661, 671, 679, 683
Dirofilaria.....485
immitis.....447, 489
repens.....212
disease, Brill-Zinsser.....269
Kyasanur Forest.....115
leucocytozoon.....359
Magudu.....159
Mhlosinga.....159
diving beetle.....168
dolichopodidae.....685
Draconyssus belgicae.....252
Drosophila.....60, 63
melanogaster.....60, 63
Durenia.....30, 34
bukavuensis.....28, 30
singaporensis.....28
Dytiscidae.....685
earthworm.....685
Echinolaelaps.....77
echidninus.....52
eczema.....610
Empididae.....689
encephalitis.....323
Entonyssinae.....622
Entonyssus ewingi.....622–24
rileyi.....622
Ephemeroptera.....686
Epidermoptidae.....262
Epilachna varivestis.....317
Ereynetidae.....252
Eristalis.....268
tenax.....268
Erythraeidae.....34
Escherichia coli.....380
Etorleptiomyia.....233
Ettmuelleria.....29–30, 34
Eubrachylaelaps jamesoni.....252
Eucheyletia.....325
Eulaelaps stabularis.....327
Eumelanomyia.....336, 637, 641, 645, 647

Euroglyphus 598–99
longior 580, 598–99
maynei 598–99, 605–06, 608
osu 598–99
European house dust mite .. 437, 577, 599, 612
Euryparasitus 327
Euschoengastia 249
belgicae 252
megastyrax 244, 247, 249
numerosa 295
oregonensis 296–98
peromysci 327
sciuricola 297
setosa 327
tryssa 253
velata 297
Eusimulium 464
Euthyas 33
sphagnorum 28
truncata 33
Eutrombicula 249, 251
alfreddugesi 244, 247–49, 252
batatas 244, 247–49, 252
belkini 295
goeldii 244, 246–49, 252
pacae 244, 247–49
tinami 246–47, 249
tropica 244, 246–49
eye gnat 51, 575
mass production 575
Eylaidae 33
Eylais 32–33
face fly 141–42, 399, 657–60, 686
Fannia 225, 227
canicularis 226–27
femoralis 226
Fauranius 248
atecmartus 246–48
feather mite 598
fever, boutonneuse 254
Colorado tick 651, 701
hemorrhagic 484
book review 484
Q 269
relapsing 157, 284
Rocky Mountain spotted ... 269–77, 480, 651
agent 269
review article 269
role of ticks in epidemiology 480
tick vectors 269
Ficalbia 31, 33
lacustris 649
uniformis 505
filariasis 233, 239, 422, 447, 485
Bancroftian 167, 562
Filarioidea 209, 447
Finlaya 234, 336
fire ant 352
flea 143, 154, 160, 323, 354–57, 399, 425, 625, 702
control 354, 425, 625
Oriental rat 354, 625
prairie dog 354, 629
rabbit 154
flesh fly 650
fly 13, 66–72, 103, 141, 155, 185–86, 189, 191–92, 227–28, 230–31, 261, 266, 268, 338–40, 349–51, 359, 364, 366, 379–80, 391, 396–98, 418–20, 422–24, 456, 477–78, 502, 511–16, 551–58, 631–33, 657–61, 663, 665, 667–69, 673–77, 681, 686, 691–94
assassin 160
bat 631
ecology 631
biology, book review 502
biting 433, 453, 679
black ... 111, 359, 456, 463–64, 474, 481–82, 558
biology 463
control 359
geographical distribution 463
key to Tahitian species 463
morphology 463
parasitism 481
repellent jacket 558
response to silhouettes and CO_2 349
transmission of Leucocytozoon 111
black blow 109
blow 268, 660, 692
bot 522
control of feed additives 141
deer 679
disease transmission, book review 502
face 141–42, 399, 657–60, 686
flesh 660
gad 160
horn 141–42, 154, 398, 513
sterility 513
horse 160
biology 65
book review 340
ecology 671
flight studies 551
physiological age 453, 679
house .. 51, 58–59, 108–10, 141–42, 261, 352, 398–99, 421, 457, 657–58, 660
control 103, 457
effect of selection on fertility 59
louse 71, 74, 144–45
phoresy between biting louse and 71
sand 3–4, 179, 183–86, 228–32, 279, 363–64, 366–67, 477–78, 661, 667–70
behavior in laboratory 183
biology 661
biosystematics 363
development in laboratory ... 183
leishmaniasis vector 228
light-trap collections 179
potential trypanosome vector . 477
rearing 183
screwworm .. 379–80, 418, 423–24, 511, 691
chemosterilization 423
comparison of strains 691
laboratory tests 418
response to blood 379
stable 141–42, 189, 261, 338, 398, 657–60
evaluation of trap 338
laboratory biology 189
sterility 261
techniques for mass-producing 189
transmission of virus 225, 657
tsetse 63, 266
warble 522–23
Foleyella 210, 212, 485
flexicauda 209, 489–90
Forcellinia wasmanni 588
Formicidae 686
fowl tick 284
Francisella tularensis 273
fungi 612
gad fly 160
Galleria mellonela 11
Gamasina 34, 149
"Gamasus" 34
Gasterophilidae 391
Gasterophilus intestinalis 391
nasalis 391
gastroenteritis 59
Geomydoecus 408, 695
chapini 698–70
chiapensis 699
copei 698–700
ewingi 408
expansus 401, 408
hoffmanni 698–700
martini 408
subnubile 406–08
tamaulipensis 406, 408
texanus 401, 403, 405–08
texanus 403, 408
tropicalis 403, 408
ustulati 403, 405–06, 408
clarkii 405–06, 408
ustulati 405–06, 408
yucatanensis 695, 699–700
Geoskusea 335
German cockroach 259, 387
Gigantodax 474
Gigantolaelaps 252
gilmorei 252
inca 252
oudemansi 252
wolffsohni 252
Glossina 266
fuscipes 267
morsitans 435
palpalis 266
Glossinidae 149
Glycyphagidae 55, 369, 605
Glycyphagus 605, 607–08
destructor 607
domesticus 591, 606, 611
gnat 109, 575–76
eye 51, 575
mass production 575
Gomphostilbia 464
Goniodes colchici 144
grass grub beetle 379
greenhead, salt-marsh 679
grub, cattle 13, 15

resistance of cattle to 13
Guatemalichus 600
bananae....600, 602
Gulf Coast tick....137–38, 213, 294
Gymnoglyphus 598–99
Gymnopais 464
gypsy moth....287
Gyropus 476
ovalis 476
Haemaphysalis....158, 252
bancrofti....443, 445–47
bispinosa 15
bremneri....443, 445, 447
humerosa 443
juxtakochi....253
leporispalustris....15–16, 21, 148, 157, 252, 262, 272–74, 389, 480, 483
longicornis 443, 445
punctata....159
Haematobia irritans 141, 154, 513
stimulans 476
Haematopinus asini 146
eurysternus....144, 146, 149, 151, 153–55
suis 149, 154
Haematopota 340
americana....45–47
Haematopotini....340
Haemogamasus ambulans 327
liponyssoides....327
longitarsus 325
Haemolaelaps 252
glasgowi 252
Haliplidae 684
Harpyrhynchidae 262
Harpyrhynchus 262, 483
harvest mite 149
Hemerodromiinae 689
Hemimerus....144
Hemiptera 139, 143–44
Hippelates 575
bishoppi 575
collusor....51, 575
pusio 575
robertsoni 575
Hippoboscidae....71, 144, 149, 476
Hippocentrodes 340
Hirstia....600
chelidonis....600, 602
domicola....600, 602, 608
Hirstionyssus 252, 701
bisetosus 329
incomptus 327
isabellinus 327
keenani 252
microchelae 252
musculi 329
panamensis 252
utahensis....327, 329–30, 701
Hodgesia....31, 33, 233
malayi 234
Hoffmannina handleyi 252
suriana 252
hog louse....149
honey bee 161
Hooperella 249
saccopteryx....244, 247, 249, 252
vesperuginis....244, 247–49
Hoplopleura acanthopus....155
hesperomydis 155
hormone, juvenile
analogue cross-resistance in mosquito....10
analogue effect on warble....517
analogue-induced abberations in mosquito....309
horn fly....141–42, 154, 398, 513
sterility 513
horse bot....391
effect of temperature....391
horse fly 160
biology 65
book review 340
ecology 671
flight studies....551
physiological age 453, 679
horse louse 146
host-ectoparasite relationships, review 143
house dust mite....5, 438, 440, 442, 577
house fly....51, 58–59, 108–10, 141–42, 261, 352, 398–99, 421, 457, 657–58, 660
control 103, 457
effect of selection on fertility....59
house mouse mite....702
Hughesiella 598–99
Hullia 600
anisopoda 600, 602
human louse 146
human head louse 146
Hunterellus 443, 445
hookeri 445–46
Hyalomma 157–59, 484
aegyptium 150, 213, 217
detritum 572
dromedarii 202
excavatum 15
marginatum 145
rufipes 148
transiens 148
truncatum 148, 159
Hybomitra 679, 684–89
aasa 684
aurilimba 681
californica....684
daeckei 674
epistates 456, 679, 681
illota 456, 681
lasiophthalma 65–67, 69–71, 454, 456, 674, 679, 681
melanorhina 684
microcephala 680
nuda....679, 681
procyon....690
sodalis 454, 681
typhus 680
Hydrachna 32–33
Hydrachnidae 33
Hydrochoreutes 33
Hydrodroma 30–33
despiciens 32
Hydrodromidae 33
Hydrophilidae 684
Hydryphantes 32–33
ruber 31
Hydryphantidae 31
Hygrobates 33
longipalpis 31
Hygrobatidae 33
Hymenolepis diminuta....154, 449
microstoma....449
nana 449
Hymenoptera....476, 486
Hypoaspis 252, 327
Hypoderma 15, 517
bovis 161
lineatum 13
Icosta 72
albipennis 72
americana....72
ardeae 72
augustifrons 72
chalcolampra 72
fenestella 72
formosae 72
rufiventris 72
sensilis 72
trita 72
Insecta 71, 476
insecticide, see pesticide
Inseliellum 464
Intercutestrix mondolfii 253
Ischnocera 74, 146
Ischnogomphus jessei 476
itch mite 150
Ixodes....115, 128–29, 132, 158–59, 252, 484, 571
acutitarsus 118, 124
berlesei 135
brunneus....128, 272, 274
confusus 571
cookei 272, 274
cordifer 571
cornuatus 571
dentatus 148, 157, 160, 272–74
granulatus 120, 137, 572
hexagonus....15, 160
himalayensis 121
hirsti 571
holocyclus....150, 158–59, 443, 445–46, 571–72
hyatti 115, 124
kuntzi 124, 129
mitchelli 115, 136
moschiferi....115, 124–25, 128
nuttallianus 115, 125, 128
ovatus 115, 132
pacificus 160, 272
persulcatus 15, 21
pilosus 571
pseudorasus 150
redikorzevi 120, 126
ricinus ..15, 150, 155, 159, 527–29, 533, 571
rubicundus 159
scapularis 138, 272
shahi 115, 127
tanuki 127–28
tasmani....443, 445–46
tenuirostris 571
texanus....15, 272, 274

tiptoni 252
trianguliceps....571
trichosuri 571
turdus 128
uriae 148
Ixodidae....115, 137, 143, 145, 150, 158, 213, 252, 262, 287, 389, 393, 409, 493, 525, 530
Ixodiphagus 443
mysorensis 443
Ixodoidea....47, 194, 202, 703
Johnstonianidae 34
juvenile hormone....10
analogue 10
kangaroo tick 240
ked....144–46, 151–53, 155
sheep....13, 144, 149–50, 155–56
Kivuicola 601–02
Kleemania 327, 329–30
Knemidokoptes 483
Labidophorus....55, 57
Laelapidae....77, 252–53, 325, 701
Laelaps....77, 252
capitatipilus 77, 79, 83
dearmasi 252
giganteus 79
joaquini....79, 83–84
manguinhosi....252
nuttalli 252
papagomyis 84–86
sanguisugus 79, 83
traubi 85–86
Lebertia 33
tauinsignata 32
Lebertiidae 33
Leicesteria 234
Leishmania....232, 364, 477, 670
amazonensis 231
mexicana 231–32, 363
amazonensis....228, 230, 232, 364
mexicana 363
leishmaniasis....186, 228, 363–64, 477
American 183
cutaneous....183, 661. 669–70
Lepidophthirus macroshina 146
Lepidoptera 476
Leptinillus 144
Leptoconops kerteszi 87
Leptotrombidium 254, 345
akamushi 345
fletcheri....345
panamense 252
tiptoni 252
Leucania....147
Leucocytozoon 349
smithi 111, 359
leucocytozoonosis....111
Leucotabanus annulatus 680
Limnesia 33
jamurensis 32
Limnesiidae 30, 33
Linognathus setosus 154
vituli....151, 153–54
Liponyssoides sanguineus....254, 702
Liponyssus sylviarum 227
Lipoptena cervi 149
Listrophoroides cucullatus 52
expansus 52
lone star tick....137–38, 272, 525, 530
Loomisia....243, 248–49
desmodus 244, 247–49
mira....243–44, 247, 249
yunkeri 245, 247, 249
Lophoceraomyia 234, 335
Lorrainea 234
louse....72, 146, 149–57, 396, 399, 401, 408, 476, 517, 695, 699–700
Angora goat 399
bird....73–74, 144, 146
biting 71, 517
key to *Geomydoecus*....695
key to *texanus*-complex....401
new species....401, 695
new subspecies 401
phoresy....71, 476
body 146, 317
cattle 151, 155
chewing 144
chicken body 144
fly 71, 74, 144–45
phoresy between biting louse and 71
hog 149
horse 146
human 146
head 146
spined rat 13
sucking 144, 399–400
lung mite 622
Lutzomyia 232
aclydifera 181
antunesi 229
californica....670
camposi....181–82
carpenteri 181–82
cayennensis....367
cruciata....670
dysponeta 181–82
flaviscutellata....228, 363
gomezi 182–84
occidentis 670
olmeca 231–32, 363, 366–67
bicolor....363, 367
olmeca 367
ovallesi 181
panamensis....181–83, 669
pessoana 181
sanguinaria....184, 669
shannoni 180
stewarti 670
trapidoi....181, 183–84, 186–87
trinidadensis....180, 229, 478
triramula 181–82
vespertilionis 477
ylephiletrix 180
lymphogranuloma venereum....276
Lynchia....72
Macronyssidae....252, 262, 394
Macronyssoides 252
kochi 252
Macronyssus....252
crosbyi 252, 394
meridionalis 252
unidens 394
maggot, rat-tailed
paedogenesis 268
malaria....157, 233, 238–39, 335, 422, 504
turkey 111
Malaya 238
Malayoglyphus 600
carmelitus 601–02, 608
intermedius 600, 602, 608
Mallophaga....71, 143–44, 149, 154, 161, 262, 401, 476, 483, 695
mange....145, 152, 415, 417
chorioptic 145
mite 150
Mansonia...30–31, 33, 233, 238, 384, 506, 509
africana....31, 505–09, 649
nigerrima 505
annulata....31, 239
annulifera 233
aurites 505
bonneae 233, 239
dives 31, 234, 239
fuscopennata 505
indiana 234
karandalensis 505
longipalpis 31
metallica 505
microannulata 505
nigrosignata 233
perturbans 435
titillans....31, 93–94, 97–100, 220, 222, 385
unicolor 32
uniformis....31–32, 234, 238–39, 505–09, 649
Mansonioides....233–34, 649
Marsupialginae 598
Marsupialichus 55, 57
andrettai 55
brasiliensis 55
johnstoni 55
lukoschi....55
marmosae 55
marsupialis 55
Mealia 599
longior 598
maynei 598
pteronyssinus 599
toxopei 599
Megaluracarus....29, 31, 33
Megninia longitarsus....601
Melanoconion 205
Melophagus 153
ovinus....13, 144–47, 149–51, 154–55
Menacanthus 154
mutabilis....483
persignatus 483
stramineus 144, 149, 151
meningoencephalitis, bacterial....271
viral....271
Meringis nidi 626
rectus 626
Mermethidae 481
Mesalges johnstoni....262, 483
Mesostigmata....52, 149, 394, 701
Metacnephia 474
Metastigmata....287, 327
Mexican bean beetle 317

Miastor 268
Microlynchia 73
pusila 73
Micromalthus 268
Microsporidia 481
Microtrombicula 248–49
carmenae 245, 247, 249, 252
fragibarba 245, 247–49
tragulata 246–47, 249, 252
"Microtrombidium" 34
"maculatum" 30–31
Micruracarus 29, 33
Midea 33
Mideidae 33
Mideopsidae 33
Mideopsis 33
midge 90, 396–97
biting 279
description of immature stages 256
pupal terminology 256
rearing technique 263
seasonal abundance 87
millipede 685
Mimomyia 233, 334, 649
chamberlaini 233
flavopicta 505
hispida 505
palustris 505
lacustris 505
luzonensis 233, 334
mediolineata 505
metallica 334
mimomyiaformis 505
pallida 505
plumosa 505
splendens 505
mite 5, 23–24, 26–27, 52, 77, 145, 147, 149–50, 152, 155–56, 160, 243, 250–54, 262, 264, 297–98, 323–27, 329–30, 341, 345–47, 394, 399, 415, 429, 437–41, 577–86, 588, 590–91, 598–612, 701–02
American house dust 440, 577, 600, 612
chicken 702
control of house dust 5
dehydration and survival 437
ectoparasite of bat 394
European house dust 437, 577, 599, 612
feather 598
floor 606
geographical distribution 243, 295
harvest 149
house dust 5, 438, 440, 442, 577
review article 577
house mouse 702
isolation of virus and rickettsia 250
itch 150
key to Surinam chiggers 243
key to *Xenoryctes* 369
lung 622
mange 150
mosquito parasites 27
nasal 262
new genus 415
new genus definition 57
new records 243
new species 52, 55, 77, 243, 341, 369, 415
northern fowl 227, 702
population buildups 701
quantitative relationships 323
quill 23
effect of molt in House Sparrow on 23
rat 702
redescription 622
relationships with mouse 409
rickettsia in organs 345
scab 150
straw itch 578
taxonomy 622
tropical fowl 702
Miyatrombicula cynos 297
Monomorium pharaonis 352–53
mosquito 1, 10–11, 27, 51, 57, 59, 92, 99, 143, 145, 148, 154, 157, 160–61, 167, 170, 205, 208–10, 212, 218, 220, 233, 265, 279, 281–82, 307–09, 317, 333, 371–72, 374, 378–79, 382–85, 396–98, 421–22, 431–36, 447–49, 451–53, 457, 459, 463, 479, 485, 487–92, 497, 500, 504, 537–38, 543–47, 550, 558, 562, 566–67, 569, 573, 637–39, 641, 643, 645–50, 666, 672
acarine parasites 27
arbovirus multiplication 1
aspirator for collection 308
behavior 537
biology 647
blood meal utilization 99, 220
cross-resistance to juvenile hormone analogue 10
"curing" Wolbachia infections 265
development of nematode 447
ecology 537
effects of blood-meal sources 431
effects of insect growth regulators 317
effects of nutrition 92, 99, 220
failure to transmit virus 451
filarial susceptibility 485
genetics 562, 567
geographical distribution 233, 333
host-feeding patterns 205
isolation of virus 573
juvenile hormone analogue-induced aberrations 309
light-trap evaluation 382
peritrophic membrane 371
physiology 547
plasmodial infections 333
population structure 167
population studies 299
relation of activity and respiration 479
relationships of amides 497
sexual behavior maturation 459
sugar utilization 92, 220
susceptibility to nematode 209
trapping results 504
uptake of chemosterilants 57
virus infection in rodents 641
virus isolation 637
multiplication 279
transmission 645
vector 637, 641, 645, 647
western tree-hole 686
yellow fever 57–59
moth 147
gypsy 287
wax 11
Mucidus 336
Multisetosa major 254
Musca 658
autumnalis 141, 399, 657, 686
domestica 51, 58–59, 141, 226–27, 261, 352–53, 398, 421, 457, 657
Muscidae 141, 189, 225, 261, 338, 512, 657, 686
Muscina stabulans 226
Myobia musculi 52
Myobiidae 252, 341
Myocoptes musculinus 52, 152
Myonyssus jamesoni 327
Myrmeleontidae 683
Myrmonyssus phalaenodectes 147
Myzomyia ludlowi 336
rossi 336
vaga 336
Myzorhynchus barbirostris 336
nagana 266
nasal mite 262
Nasicola 248
annereauxi 245, 247–48
Nematocera 463
Nematoda 209, 447
nematode 151, 263–64, 481–82, 485, 684–85
Nemorhina palpalis 266
Neoculex 505
Neomacleaya 335
Neomelaniconion 234, 336
Neoschoengastia fullbergae 295
Neoseiulus 325
Neotetracopus 55
Neotrombicula 52
brennani 297
cavicola 297–98
dinehartae 295, 297
harperi 52, 297–98, 483
loomisi 297
megensi 52
microti 52
Nesaea fuscata 32
Nippostrongylus muris 151
Nirmus 476
northern fowl mite 227, 702
Notoedrinae 415
Nycteribiidae 144, 631
Nyssomyia 363, 367
Nyssorhynchus fuliginosus 336
maculatus 336
Ochlerotatus 336
Odonata 476
Odontacarus 248
tuberculatis 245, 247–48, 252
Oestridae 13, 517

Omophronidae 685
Onychalges 601–02
asaphospathus 601
longitarsus 601
odonturus 601
ovatus 601
pachyspathus 601
schizurus 601–02
Ophyra 226
leucostoma 226
Opilioacariformes 595
Opisocrostis 354
hirsutus 355
orbivirus, see virus
Oriental cockroach 259
Oriental rat flea 354, 625
Ornithoctona 72
australasiae 72
erythrocephala 72
fusciventris 72
Ornithodoros 47, 153, 158, 252, 413–14, 503, 702
capensis 279, 703
coriaceus 160
gurneyi 15, 240, 443
moubata 47, 50, 153, 284, 413–14
rossi 503
savignyi 240, 413–14
tholozani 47, 50, 413–14
turicata 160
Ornithoica 72
bestativa 72
exiles 72
pusilla 72
rabori 72
simplicis 72
stipituri 72
tridens 72
vicina 72
Ornithomya 72, 74
anchineuria 72
avicularia 72
chloropus 72
fuscipennis 72
parva 72
rouboudi 72
Ornithonyssus bacoti 52, 252, 702
bursa 702
sylviarum 147, 155, 227, 252, 262, 483, 702
wernecki 252
Ornithophila 72
metallica 72
Orthopodomyia 238
Orthoptera 60, 387
Orycteroxenus 55
Otobius 158
Otodectes cynotis 150
Pachylichus 599
crassus 599
paedogenesis, in rat-tailed maggot 268
pajaroello tick 160
Panisopsis 29, 31, 33
Panoplites 31
Paraceras melis 476
Paradasyhelea minuta 264
Paralabidophorus 55
Paralges 599–601
Paralgoides 599
pteronyssoides 599
Paralgopsis 601
ctenodontus 601
paradoxus 601
Paramealia 601
ovatus 601
Parasecia 246, 249
aitkeni 246–47, 249
longicalcar 244, 247, 252
manueli 246–49
palmigera 246–49
valida 246, 248–49
Parasitidae 325
Parasitiformes 595
Parasitus 325
Paraspeleognathopsis cricetidarum 252
Partipalpiger 115, 132
Pasteurella gallinarum 380
multocida 359
Pavlovskyella 47, 240
Pediculus 154
atelophilus 154
humanus 144
capitus 146
corporis 146
humanus 317
Pellonyssus marui 252
Pergamasus 325
Periplaneta americana 259, 352
Periglischrus acutisternus 252
torrealbai 252
vargasi 252
Perissopalla 246–49
barticonycteris 246–47, 249
flagellisetula 246–49
ipeani 246–49
tanycera 246–47, 249
Persicargas 47, 194–95, 201–02, 535–36
pesticide 10, 59, 103, 141, 153, 168, 259, 352, 354, 356–57, 359–60, 387, 396–98, 422, 425–27, 429, 438, 457–58, 481–82, 484, 517–18, 605, 612, 625, 659, 674, 702
Phaenicia 226
Pharaoh ant 353
Philopteridae 146
Philopterus 73, 154, 476
agelaii 483
cristata 483
Phlebotomidae 661
Phlebotominae 279
Phlebotomus 286, 366, 664–65
apicalis 363
argentipes 669
chinensis 669
longipes 661
major 669
mongolensis 669
orientalis 669
papatasi 669
pedifer 661
perniciosus 669
sergenti 669
Pholeoixodes 128, 135
phoresy, between biting louse and louse fly 71
Phthiraptera 71, 476
Phytoseiidae 325
Phytoseius 325
Piagetiella 149
pigeon breeders lung 610
Piona 31–33
nodata 32
Pionidae 33
plague 1, 157, 354, 357, 425, 429, 494, 701
sylvatic 426, 429, 625, 629
Platypsyllus 144
Polygenis 426
gwyni 426–28
Polylepidomyia 337
poliomyelitis 157
Polyctenidae 144
Polylopadium confirmatum 252
kramisi 252
Polyplax serrata 146, 149, 151–52, 156
spinulosa 13, 151
Pomeroyellum 349
Pottocola 601
scutata 601–02
prairie dog flea 354, 629
Procladius 397
Proctolaelaps 327, 329–30
Proctophyllodes egglestoni 262, 483
musicus 483
occidentalis 483
troncatus 483
Proctophyllodidae 262
Proradfordia guyannensis 341
Prosimuliini 464
Prosimulium 482
hirtipes 473
magnum 482
Prostigmata 327, 345
Proteus 380–81
mirabilis 380–81
morganii 380
rettgeri 380–81
vulgaris 380
Pseudolynchia 72
canariensis 72–73
Pseudomonadaceae 379
Pseudomonas aeruginosa 380
Pseudoschoengastia 252
bulbifera 252
farneri 252
zona 252
Psorergates ovis 150
Psorophora 31, 33, 384–85
albipes 31
ciliata 538–39, 543–44, 546
confinnis 92–95, 97–102, 220, 223–24, 385, 397
ferox 31, 92, 538–40, 542–46
howardi 385
longipalpis 538–39, 543, 545–46
varipes 385
Psoroptes 145
Psoroptidae 145
Psoroptinae 598

Psychodidae..179, 183, 228, 363, 477
Psychodopygus.....363, 367
Ptilonyssus cyanocittae.....483
icteridius.....262
Pupipara.....149
Pycnoscelus surinamensis.....51
Pyemotes ventricosis.....578
Pyemotidae.....325
Pygmephorus spinosus.....325
Pyroglyphidae.....5, 577, 586, 588, 595, 598, 602, 605
Pyroglyphinae.....598–99
Pyroglyphus.....598–99
africanus.....598–99
morlani.....598–99
Pyrrhocoris apterus.....317
Quadraseta.....248
flochi.....246, 248
quill mite.....23
effect of molt in House Sparrow on.....23
rabbit dermacentor.....272
rabbit flea.....154
rabbit tick.....15, 272
Rachionotomyia atripes.....337
magnesiana.....337
Radfordia.....341
ensifera.....52, 344
expansa.....344
floridensis.....344
hamiltoni.....344
lancearia.....344
neotomae.....344
Radfordiella.....252
rat mite.....702
rat-tailed maggot, paedogenesis...268
Reduviidae.....139
rhabdovirus, see virus
Rhagio.....685
Rhagionidae.....685–89
rhinitis.....5, 610
Rhinonyssidae.....262
Rhinoskusea.....234
Rhipicentor.....158
Rhipicephalus.....158
appendiculatus.....148, 159
ayrei.....147
compositus.....147
sanguineus.....15, 156, 158, 217, 272, 389, 572
simus.....148
tricuspis.....148
Rhodacaridae.....325
Rhodnius prolixus.....267
Rhopalopsyllidae.....426
Rhynchocyonopus.....55
Rhynchophthirina.....74
Ricinus picturatus.....154
rickettsia....250–51, 253–54, 272–76, 345–47, 480, 651
in organs of mite.....345
isolation from Acarina.....250
Rickettsia montana.....272
parkeri.....272
rickettsii.....253–54, 269–76, 345
sanguineus.....272
tsutsugamushi.....345
typhi.....275
rickettsialpox.....254, 269
Rocky Mountain wood tick..13, 288, 651
salt-marsh greenhead.....679
sand fly....3–4, 179, 183–86, 228–32, 279, 363–64, 366–67, 477–78, 661, 667–70
behavior in laboratory.....183
biology.....661
biosystematics.....363
development in laboratory.....183
leishmaniasis vector.....228
light-trap collections.....179
potential trypanosome vector...477
rearing.....183
Sarcophagidae.....660
Sarcoptes.....160
scabiei.....145, 160
Sarcoptidae.....145, 415
Sarcoptinae.....415
Sasacarus furmani.....252
Satanicoptes.....415
armatus.....415, 417
phascogale.....415, 417
scab mite.....150
scabies.....145, 155
human.....599
Scaphixodes.....135
Scarabaeidae.....686
Scatophaga.....686
screwworm.....379, 381, 418, 421, 423, 511, 691–92
biology.....511
fly..379–80, 418, 423–24, 511, 691
chemosterilization.....423
comparison of strains.....691
laboratory tests.....418
response to blood.....379
Sergentomyia africana.....669
minuta.....669
parroti.....669
schwetzi.....669
squamirostris.....669
sheep ked....13, 144, 149–50, 155–56
Shigella dysenteriae.....275
Silvius.....687
gigantulus.....684
notatus.....687, 689–90
philipi.....685, 689
quadrivittatus.....689
Simuliidae...111, 349, 359, 463, 481–82, 558, 686
Simulium.....113, 160–61, 359–60, 362, 464–65, 470, 474, 482
adersi.....349–51
buissoni.....463
cheesmanae.....463, 474
congareenarum...111, 114, 359–60
impukane.....349–51
notiale.....482
oviceps....463–66, 470–71, 473–75
slossonae.....111–13, 359–62
tahitiense....463–65, 468, 470–71, 473–75
tuberosum.....482
venustrum.....482
verecundum.....482
vittatum.....481–82
vorax.....350–51
Siphonaptera...143–44, 355, 426, 476
sleeping sickness.....266–67
slug.....685
Speleocola.....248
secunda.....246–48
Spilopsyllus cunicula.....154, 161
spined rat louse.....13
Spinturnicidae.....252
stable fly.....141–42, 189, 261, 338, 398, 657–60
evaluation of trap.....338
laboratory biology.....189
sterility.....261
techniques for mass-producing..189
Staphylinidae.....685–86
Staphylococcus.....160
albus.....157
Steatonyssus.....252
Stegomyia.....234, 336, 489
Steptolaelaps heteromydis.....252
Stilbometopa.....72
podopstyea.....72
ramphastonis.....72
Stilobezzia pictipes.....264
Stomoxys calcitrans....141, 189, 226, 261, 338, 398, 657
Stratiomyidae.....685
straw itch mite.....578
Streblidae.....144, 631
Strelkoviacarus critesi.....262, 483
Streptococcus lactis.....380
Sturnidoecus.....73
Sturnophagoides.....601–02
bakeri.....601–02
brasiliensis.....601–02, 608
halterophilus.....600
kivuana.....601–02
sucking louse.....144, 399–400
Suidasia nesbetti.....611
Supella longipalpa.....259
supellectilium.....352
Symphoromyia.....685
inconspicua.....685
syndrome, sudden infant death....610
Syringophilidae.....23
Syringophiloidus minor.....23
Syrphidae.....268, 686
Tabanidae.....65, 340, 551, 671, 673, 683
Tabanus.....160, 551, 660, 674, 679, 687–88
aegrotus.....685, 687
atratus.....454, 688
fairchildi.....680
kesseli.....684
lineola....454, 551, 657, 674, 681
marginalis.....679
monoensis.....685–86, 690
nigrovittatus.....551, 672, 674–77, 681
pumilus.....674, 680
punctifer.....684–90
quinquevittatus.....65–67, 69–71, 456, 657, 681
reinwardtii.....455
sackeni.....551
similis.....456, 681, 684–87

sparus milleri 681
subsimilis 688
sulcifrons....65–67, 69, 71, 454, 681
superjumentarius 680
vivax 680
Taeniorhynchus 31
Tanytarsus 268, 397
tapeworm 154
Tecomatlana sandovali 253
Theobaldia 31
Thermobia domestica 317
Thyas 28–29, 33
barbigera 33–34
dentata 33
stolli 33–34
Thyasidae 33
Thyasides 33
dentata 28
sphagnorum 33
tick....17–21, 37, 115, 143–45, 147–48, 150, 152–53, 155, 157–61, 195, 200–03, 213–19, 240–42, 250–54, 269–77, 282, 284–89, 293, 295, 345, 389, 293, 399, 409–11, 413, 443, 479, 484, 493, 503, 525, 528–35, 571, 604, 651–56, 702–03
American dog....15–16, 137–38, 213, 269, 272, 288, 656
assembly pheromone....284, 413
behavior....525, 530
biology and abundance of parasitic wasp 443
biology in laboratory....240
brown dog....217
cattle 148, 214
circadian rhythm regulation....15
collection technique 702
description of gland 287
description of immature stages....115, 493
ecology....393, 525, 530
of virus 651
effect of host species....213
egg development 47
epidemiology of Rocky Mountain spotted fever....480
evaluation of traps 137
fowl 284
geographical distribution..115, 493
Gulf Coast....137–38, 213, 294
host records....493, 503
utilization 651
humidity preference....37
isolation of virus....535
kangaroo....15, 240
laboratory rearing procedures..389
lone star....137–38, 272, 525, 530
new species 194
oviposition 47
pajaroello 160
parasitism by tick 571
parasitizing humans and birds..703
population dynamics....651
rabbit 15, 272
response to environment 525
Rocky Mountain wood....13, 269, 272, 288, 651
virus infection....194
water balance in....37
togavirus, see virus
Toxorhynchites 33
rutilus septentrionalis 31
Triatoma 139
cruzi 139
gerstaeckeri 139
protracta navajoensis....140–41
protracta....139
Tribolium 352
confusum 449
Trichobius 631
corynorhini....631
major 631, 634–35
Trichodectes....476
canis 149
melis 476
Trichodectidae 401, 695
Tripteroides....238, 334, 337
atripes occidentalis....337
magnesianus 335, 337
punctolateralis....335, 337
Trombellidae 34
Trombicula 249, 252
akamushi 145
aplodontiae 297–98
autumnalis 149
caccabulus 252
cynos 325
dicrura 252
dunni 246–49
keenani 252
myotis 325
palmigera 246
sargenti 327
Trombiculidae....52, 145, 243, 252, 295, 327, 345
Trombidiidae 34
Trombidium culicis 27
tropical fowl mite....702
Trouessartia rosteri 483
Truncaturus....29, 33
Trypanosoma cruzi 267
equiperdum 267
gambiense....267
leonidasdeanei 477–78
vivax 267
trypanosomiasis 266
Trypodendron lineatum 317
tsetse 266
book review 266
fly 63, 266
Tur uniscutatus 252
Twinnia 464
typhus, flea-borne 269
murine 254, 269
scrub....145, 147, 254, 345, 347
tick-borne 269
Tyroglyphus siro 34
Tyrophagus 605
putrescentiae 607, 611
Unionicola 32–33
Unionicolidae 33
Uranotaenia....31, 33, 233, 238, 334
alboabdominalis 505
balfouri 505
campestris....334
lateralis 234, 334
pallidocephalus 505, 649
Vanessa io 476
Vanidicus 248
tricosus 246, 248
vector control, book notice....422
Verrallina 234
virus....3, 115, 145, 157, 183, 186, 201, 205, 231, 205–54, 265, 279, 281–82, 323, 451–53, 484, 502, 535–38, 573, 637, 641–45, 650, 653, 656–57, 660, 703
Abu Hammad 202–03
Abu Mina....202–03
Acado 203
Aguacate 2
Akabane....279, 282
Alfuy 279
Almpiwar 279
Anhanga 2
Argentine hemorrhagic fever...254
Arumowot 1–3, 203, 638
Atoll 279
Bahig....203
Bandia 203
Banzi....637, 641, 645, 647
Belmont 279, 282
Bhanja 203
bovine ephemeral fever....279, 282
Bujaru 2–4
Bunyamwera 203, 638
Burg El Arab 203
Cacao 2
Caimito....2
California encephalitis 537
California encephalitis group...451
Candiru 1
Chagres....2
Chandipura 3
Changuinola group 3
Charleville 282
Chenuda 203
Chilibre 2–4
Chobar Gorge 203
Colorado tick fever....203, 651, 701
Congo 203
Corriparta 282
Corriparta group 280
D'Aguilar 279, 282
dengue 1, 3, 282
dengue-1 203
dengue type 2....279
Dera Ghazi Khan 203
Dhori 203
Dugbe 203
Eastern equine encephalitis....254, 672
ecology in tick....651
Eubenangee 279, 282
Eubenangee group....279
Edge Hill 279, 282
Farallon 203
fly transmission 225, 657
Frijoles 2
Ganjam....203
Germiston....637, 641, 645, 647
Getah 279
Grand Arbaud....203

group B arbo-.....641
Hazara 203
hemorrhagic fever 484
hog cholera.....657
Huacho 203
Hughes 203
Icoaraci 1–3
in mosquito.....537
isolation from Acarina.....250
isolation from mosquito.....573
isolation from tick 535
Itaporanga 1–3
Japanaut group 279
Japanese encephalitis.....573
Johnston Atoll 203
Joinjakaka group 279
Jos 203
Kaisodi 203
Kao Shuan 202
Karimabad.....2–4
Kemerovo.....203
Keterah 203
Keystone.....537
Kokobera 281–82
Koongol 282
Koongol group.....280
Kunjin 279, 282
LaCrosse 451
LaCrosse encephalitis 451
Lagos Bat 203
Langat 203
Lanjan 203
Lipovnik 203
Lone Star 203
Manawa 203
Mapputta 279, 282
Mapputta group 280
Maprik 282
Marburg disease.....484
Matariya 203
Matruh 203
Matucare 203
Mitchell River 279, 282
Mono Lake.....203
mosquito vector..637, 641, 645, 647
multiplication in mosquito...1, 279
Murray Valley encephalitis....279, 281–82
Naples sand fly fever.....1
Newcastle disease.....225
Ngaingan 279, 282
Nique 2
Nyamanini.....203, 535
Obodhiang.....203, 433
Pacui 1–4, 364
Palyam group.....279, 282
Pathum Thani 202
phlebotomus fever group.....1
Powassan 203
Pretoria.....195, 201–02
antigenic relationships.....202
new agent 202
Punta Salinas 203, 703
Punta Toro.....2
Qalyub 110–11, 203
Quaranfil 203, 535
Ross River 279, 282
Royal Farm 203
St. Louis 562
St. Louis encephalitis.....254
Sakhalin 203
Salehabad.....2–4
Samford 279, 282
Sand fly fever 203
Sawgrass 203
Sepik 282
Sicilian sand fly fever.....1
Silverwater 203
Simbu 203
Simbu group.....279
Sindbis 203, 279, 282
Soldado 203, 703
strain EgAnB 12502.....203
13383 203
1398-61 203
EgAr 1169-64 203
1225-64 203
EgArt 427 203
1147 203
1475 203
2771 203
3080 203
3088 203
Q 3255 203
Stratford.....279, 282
Thogoto 203
Tribeč 203
Trubanaman 279, 282
Uganda S 203
Upolu 203, 279
Uukuniemi 203
Venezuelan encephalitis 643
Venezuelan equine encephalitis 205, 208
vesicular stomatitis, Indiana type 3
Wad Medani 203
Wallal 282
Wanowrie 203
Warrego 279, 282
Warrego group 280
Western equine encephalitis...254, 672
West Nile 203
Witwatersrand...637, 641, 645, 647
Wongal.....279, 282
Wongorr 282
yellow fever.....203, 484
Zika.....203
Zirqa 203
Visceroptes 599
saitoi 599
takeuchii 599
vitamin A 13
warble
effect of juvenile hormone analogues 517
fly 522–23
Warileya 367
wasp 157, 443
biology and abundance of tick parasite 443
wax moth 11
Weelawadjia 599
australis 599
western tree-hole mosquito.....686
Whartonia 248
nudosetosa 246–48
Wolbachia 265
pipientis 265
Wuchereria 485
bancrofti.....239 447, 485, 490, 492
Wyeomyia 33
aporonoma 31
Xenopsylla astia.....149, 154
cheopis.....149, 154, 354–55, 426, 625–26, 628
Xenoryctes 369–70
krameri 369
krameri 370
japonensis 370
latiporus 369–70
nudus.....369–70
punctatus 369–70
yellow fever mosquito.....57–59

VERTEBRATE INDEX

Accipiter 72
Acomys spinosissimus 643
Acridotheres 73
Agama, Starred 213
Agama stellio 213
Agapornis pullaria 600
Agelaius phoeniceus 483
Agouti 248
  paca 248
Alcippe castaneceps 130
Alisterus 72
Alticola 124
  roylei 117, 128, 130
Ameiva ameiva 244
Amphibia 145, 207
amphibian 431, 435
Amphibolurus barbatus 240
ani 208
Anthus 73
Antilope cervicapra 133
Aphelocoma 73
Aplodontia rufa 297–98
Aplodontiidae 298
Apodemus 117
  flavicollis 117
  speciosus 128
Apodiformes 72–73
Apus 72
Armadillo, Nine-banded 494
Artibeus lituratus 243–45, 247
Artiodactyla 117, 133–34, 145, 248, 494
Aves 122, 130, 145, 207, 246, 151
Badger 127
Baiomys taylori 341, 344
bandicoot 446, 572
  Long-tailed Short-nosed 443
Bandicota 124
  indica 137
Basilornis 73
bat 144, 149, 156, 206, 248–50, 253, 394, 477–78, 503, 631–33, 635–36, 649–50
  fruit 647
  Sheath-tailed 477
  Spotted 394, 503
  Townsend's Big-eared 631
beaver 144
  Mountain 297–98
Belomys pearsoni 116
bird 23–24, 71–74, 104, 108, 113, 128, 144, 146–48, 168, 175–76, 194, 205–09, 219, 225, 227, 251, 262, 273–74, 349–51, 359, 431, 435–36, 480, 483–84, 494, 535, 577, 586, 598–601, 650, 703
  sea 52
  Village Weaver 535–36
Blackbird, Red-Wing 483
Blarina 327
Boaedon fuliginosus 648
Bobcat 494
Bobwhite 274
Boidae 246
Bos grunniens 118
  indicus 214
  taurus 214, 446
Botaurus 72
Bovidae 125
Bradypus infuscatus 251
Bubo vosseleri 349
Bubulcus ibis 208
  ibis ibis 535
buffalo 117–18, 134, 233, 237
Bufo carens 648
bullfrog 210–11
Buphagus africanus 600
  erythrorhynchus 600
Butorides striatus 208
  virescens 208
Caiman 207
Caluromys philander 244, 247
Campephagidae 72
Canidae 117, 133
Canis familiaris 251, 288
  rufus 494
Capricornis sumatraensis 117
  sumatraensis thar 133
Carnivora 117, 124, 128, 133, 248, 494
carnivore 126, 150, 208
Carollia 477
  perspicillata 244, 246–47, 251, 478
Carpodacus nipalensis 128
Casmerodius 72
cat 154, 352, 399, 650
  domestic 494
  leopard 494
  Siamese 120, 137
"Cat, wild" 494
Cathartes 72
Cavia porcellus 432
Cavy 158
Centropus 72
Cervidae 125, 248
Cervus canadensis 393
Chameleo chameleon 213
chameleon 213
Charadriiformes 206, 208
chicken 100, 104–10, 147, 151–53, 156, 194–95, 200, 203, 206, 213, 221–22, 225–27, 272, 275, 279, 318, 349–50, 399, 431–32, 434–35, 663, 666
  Leghorn 104–05
chipmunk 296, 323, 451–52, 654
  Red-tailed 654
  Townsend's 296–97
  Yellow-pine 654
Chiroptera 116, 133, 247, 251, 477, 503
Choloepus hoffmanni 251
Ciconiiformes 72, 206–08
Circus 72
Clethrionomys occidentalis 296
Clytospiza 601
Coatimundi 253
Colaptes 72
Colinus virginianus 214
Columba 72, 200
  guinea phaeonota 195, 200–01
  livea 72, 648
Columbidae 247
Columbiformes 72–73, 206, 246
Columbigallina talpacoti 244, 247
Copsychus 73
Coraciiformes 72
Coracina 73
Cormorant, White-necked 703
Corvidae 72, 483
Corvus 73
Cotingidae 72
cottontail 273, 538
  Eastern 274
cow 13–15, 104, 118, 125, 134, 141–42, 144, 146–48, 151–54, 159–61, 206, 214, 240, 261, 266, 279, 338, 354, 393, 398–400, 493, 513–14, 517, 572–73, 650, 685, 692
  European Shorthorn 214
  Hereford 156
  Zebu 214
cow-yak hybrid 125
Cowbird, Brown-headed 483
coyote 493
Cracticidae 73
Cracticus 73
Cricetidae 117, 133, 248, 341, 370
Criniger 73
Crocidura silacea 643
Crotalidae 624
Crotalus 622
  atrox 622
  cincereous 622
Crotophaga ani 244, 247
Cuculidae 247
Cuculiformes 72, 208, 247, 494
Cuculus 72
Cyanocitta 73
  cristata 483
Cyanocorax 73
Cynomys 354
  ludovicianus 357
    arizonensis 354
Cynopterus 116
Dacelo 72
Dasymus incomptus 643
Dasyprocta 248
  aguti 246
Dasyproctidae 248
Dasypus novemcinctus 494
deer 393, 453
  Barking 125
  Black-tailed 295
  Mouse 238
  Musk 125
  White-tailed 494, 531
Dendrocitta 73
Dendrocopus 72
Desmodidae 247
Desmodus rotundus 243–47, 503
Dicotylus tajacu 494

Dicruridae 72
Dicrurus 73
Didelphidae 247
Didelphis marsupialis 214, 244, 247, 251
Dipodomys 629
merriami 626, 628
ordii 626, 628
spectabilis 626–29
Diuca 73
dog 125, 147, 154, 157–59, 206, 240, 272–73, 288, 399, 493, 650, 663, 666, 669
donkey 536
dormouse 341
dove 206
Dremomys lokriah 130
duck 206, 275
Dumatella 73
Echimyidae 248
Edentata 207, 248, 251
egret 206–08
Cattle 208, 535–36
Little 703
elk 393
Emballonuridae 247
Emberiza 73
Epicrates cenchris 246
Eptesicus fuscus 394, 503
melanopterus 244, 248
Equus caballus 251
Erinaceus europaeus 213
Estrilda 601
Eucichla 73
Euderma maculatum 394, 503
Euplectes 73
Eutamias 654
amoenus 654
ruficaudus 654
townsendi 296
Falco 72
Falconiformes 72
Felidae 117
Felis 117
bengalensis 117
domestica 494
fish 550
Florida caerulea 208
flycatcher 207
fowl 145, 159
Guinea 349
Fox, Gray 274
Red 274
Fringillidae 72
frog 207, 210–12
Galliformes 72
gallinule 206
Gallus domesticus 432
Garrula erythrocephala 130
subunicolor 130
Garrulax 73
Garrulus 73
gecko 669
Mediterranean 213
Geococcyx californianus 494
Geomyidae 401, 695
Geomys 401
mexicanus 698
personatus 401, 698
fallax 401, 403
megapotamus 403
personatus 403
tropicalis 401, 403, 698
Geronticus 201
calvus 195, 200
Gerrhonotus coeruleus 297
multicarinatus 297
Glaucidium 72
Glaucomys sabrinus 296
Gliridae 341
Glossophaga longirostris 503
soricina 244, 246–47
goat 87, 125, 144, 151, 155–56, 399, 536, 637, 649–50
Angora 147, 517
wild 117
goose 203
gopher 401, 408, 695, 699–700
Hispid Pocket 695
Goral 125
Grackle, Common 262, 483
Gracula 73
Graphiurus heuti 341
Grouse, Ruffed 148
Gruiformes 206
guinea pig 154, 203, 213, 251–53, 272–75, 352, 426, 431–36, 451, 480, 497, 638, 663, 666
Halcyon 72
hamster 150, 152, 156, 158, 186–87, 203, 208, 228–30, 232, 251, 637, 639, 641, 645, 647, 650, 663, 666
Golden 641
Hannemania 145
hare 480
Snowshoe 654
Harpactes 72
hedgehog 155
European 213
Hemidactylus turcicus 213
herbivore 145
heron 206–08
Green 208
Little Blue 208
Striated 208
Herpestes auropunctatus 124, 244–45, 248
Heterogeomys 695
Heterohyrax brucei 666
Heteromyidae 341
Heteromys australis 251
desmarestianus 251
Heterophasia 73
capistrata 122
hippopotamus 267
Hirundinidae 72
Homo sapiens 251
Hoplomys gymnurus 251
horse 65, 67–71, 145, 147, 295, 338, 380–81, 391–93, 511–12, 572, 650, 672
Hydromys chrysogaster 443
Hylocichla 73
Hyphanturgus brachypterus 601
Hypocryptadius 73
Hypsipetes 73
Hyrax, Rock 663, 666
Ibis ibis 703
ibis 194
Bald 194–95, 200
Sacred 703
Wood 703
Icteridae 73, 247, 483
Ictarus 73
iguana 207
Iguanidae 246
Insectivora 116, 121, 124, 128, 130, 133, 369–70
insectivore 118, 126, 128, 135
Irena 73
Irenidae 72
Isoodon macrourus 443
jacana 206–08
Jay, Blue 483
Jharal 117
jird 448–49, 485, 487, 490
Clawed 448
kangaroo 16, 21, 240
Red 21, 240
Lacerta laevis 213
lagomorph 273, 480
Lagomorpha 207, 494
Lagonostica 601
rubricata 601
Laniidae 72
Lanius 73
Lark, Meadow 217
Leggada minuitoides 643
Leistes militaris 243–44, 247
Lemniscomys griselda 643
Leothrix lutea 122
Leptonycteris nivalis 503
Leptotila 72
Lepus 480
americanus 480
struthopus 480
californicus 214
oistolus 135
Lerwa lerwa 136
Liomys adspersus 251
lizard 207–08, 210, 213, 253, 663, 666, 669
Ameiva 207
Bearded Dragon 240
Northern Alligator 297
Oregon Alligator 297
Lonchophylla thomasi 244, 246–47
Lonchorhina aurita 503
Lophophorus impejanus 136
Lynx rufus 494
Macrotus californicus 503
magpie 480
mammal 52, 91, 125, 135, 140, 144, 146–47, 159, 168, 205–09, 212, 216, 219, 248, 251, 273–74, 296, 298, 349, 363, 369, 426–29, 431, 443, 446, 454, 456, 476, 480, 484, 494, 517, 523, 525, 537, 546, 572, 577, 586, 599, 626–630, 642, 651–52, 654, 669
Mammalia 116, 130, 133, 145, 207, 247, 251

man....118, 143, 145–47, 154, 158–60, 183, 194–95, 200, 206, 233, 238, 240, 256, 266, 271–73, 276, 279, 284, 295, 335, 347–49, 363–64, 371, 379, 397, 437–38, 479, 480, 484, 486–87, 492, 502, 504, 530, 535–36, 538–40, 545, 552, 555, 560, 562, 572, 579, 583, 585, 599, 601, 606–09, 611, 629, 639, 648, 650, 663, 666, 669, 672, 703
Marmosa 244
murina 247
robinsoni.....251
isthmica 55
marmot 158
marsupial....205, 207, 249, 415, 417, 572
Marsupialia 207, 247, 251
Martes flavigula.....128
Martin, African Rock....194–95, 200
Mastomys 642
Mazama gouazoubira 248
Megalaima 72
Megaleia rufa.....240
Melidora.....72
Mephitis mephitis 494
Meriones unguiculatus.....448, 485
Mesocricetus auratus.....641
Metachirus nudicaudatus.....251
Micronycteris brachyotis ...244, 246–47
megalotis 244, 247, 503
Microtus.....327, 329
montanus 296
oregoni 296
pennsylvanicus 155, 213
Mimidae 72
minnow.....168
Mino 73
mole 298
Molossidae 247
Molossus 246–47
ater 244–47
coibensis 251
molossus 245, 247
Molothrus.....73
ater 483
Momotus 72
monkey 206, 638
Rhesus 156
Spider 154
Moschus moschiferus.....124
Motacillidae 72
mouse....1–3, 104, 117, 140–41, 146, 149–50, 152, 155–56, 186, 201–03, 217, 228, 240, 251–53, 275, 279, 281–82, 323, 323–27, 329, 345, 347, 409–11, 451–52, 480, 517, 535, 573, 638, 641, 654, 663, 666
Albino Swiss 535
Deer....155, 214–16, 274, 296–98, 327, 654
Field 133
Harvest 538
Marsupial 415
Northern Grasshopper 626
Swiss White 228, 230
Western Red-backed 296–97
White 13, 16, 228, 663, 666
White-footed.....213, 323, 327, 409, 626
Muridae....117, 121–22, 124, 128, 130, 133, 248, 341
Mus.....117, 128, 130
homourus 117
musculus.....52, 127, 229
urbanus.....128
Muscicapa strophiata 122
Muscicapidae 73, 130
Mustela.....128
siberica 128, 133
Mustelidae.....128, 133
Myiophoneus 73
Myoprocta 248
acouchy 248
Myosorex cafer 643
Myotis.....394
californicus 394
nigricans 251
velifer 394, 631, 634–35
Myrmecophagidae 248
Naemochedus goral 117
Nasua nasua narica 253
Nectomys squamipes.....248
Neotoma.....140, 480
albigula.....598
cinerea 296, 654–55
floridana 214
fuscipes.....296, 341, 344
micropus.....494, 626, 628
Nesocichla 73
Neurotrichus gibbsi.....296–97
Nigrita 601
Noctilio labialis 245–47
leporinus.....245, 247
Noctilionidae 247
Nyctereutes procyonoides viverrinus 127
Ochotona 124
princeps 297
roylei 124
roylei 127
Odocoileus hemionus columbianus 295
virginianus 494
Oenanthe 73
Onychomys leucogaster.....494, 626, 628–29
opossum.....206, 214–19, 253
South American Mouse.....55
Virginia 274
Oreopellia 72
Oriolidae 72
Oriolus 73
Orthogeomys 695
grandis 699
grandis 699
latifrons.....699
pygacanthus 699
hispidus 695, 698–700
chiapensis 698–99
concavus 699–700
isthmicus 698, 700
negatus 699–700
teapensis 698
tehuantepecus.....698, 700
torridus 698–700
yucatanensis 695, 697
Oryctolagus 158
cuniculus 288
Oryzomys 251
capito 228–30, 251
laticeps 248
macconnelli 248
owl 349
Barn 213
Pachycephala 73
Papagomys armandvillei.....85
Pappogeomys 401
castanops 401, 408
angusticeps 405
bullatus 405
clarkii 405–06
elibatus 407
excelsus 405
goldmani 407
jucundus.....401, 405
perexiguus 407
peridoneus 407
planifrons 407
rubellus 401, 407
subnubilus 406–07
subsimus 407
surculus 407
tamaulipensis 406
torridus 406
ustulatus.....403, 405
Paradisaea 73
Paradisaeidae 72
parrot 601
Partridge, Snow.....136, 194
Passer domesticus.....23, 483
griseus ugandae 600
Passeriformes.....73, 206–07, 247, 251, 494
Peccary, Collared.....494
Pelecanus onocrotalus 703
Pelican, White 703
Pellorneum 73
Peramelidae 572
Perisoreus 73
Perissodactyla 145
Perodicticus potto 601
Peromyscus.....139, 324–25
boylii 140–41
californicus 139
crinitus 139
leucopus.....213, 323, 326–27, 330, 409, 411, 494, 626
maniculatus..140–41, 214, 296, 654
truei 140–41
Peropteryx kappleri.....243–47
macrotis 477–78, 503
Petaurista magnificus 116, 122
petaurista.....116, 122
Phalacrocorax carbo lugubris 703
Phalangeridae 572
Phapitreron 72
Phascogale tapoatafa.....415
Pheasant, Monal 135
Philander opossum ..244, 246–47, 251
Phyllostomidae 247

Phyllostomus elongatus...243, 246–47
hastatus.....244–45, 247, 251
Pica 73
pica 480
Piciformes 72–73
pig 104, 152, 573, 650, 657–60
pigeon....73, 170, 175, 194, 200, 610, 648–49
African Rock 202
Cape Rock.....195, 200
Rock 194, 200
Speckled Rock.....195, 200
Pika.....124, 297
Pionus 72
Pipilo 73
Pipistrellus hesperus 394, 503
subflavus 246
Pitta 73
Pittidae 72
Pitymys sikkimensis 117, 133
Plecotus townsendii ...631, 634, 636
Ploceidae 72, 483
Ploceus cucullatus 535
Poecilodryas 73
poultry 225
possum 446
Brush-tailed 443
Potoroo 443
Potorous tridactylus 443
prairie dog.....354, 357
Black-tailed 354
Praomys natalensis 642–44
Procyon lotor 214
Proechimys 248
guyannensis.....228–29, 243–46, 248, 341
semispinosus 206, 251, 253
Psarocolius decumanus.....247
Pselliophorus 73
Psittaciformes 72
Pteronotus parnellii.....251
Ptilinorhynchidae 73
Ptiloris 73
Ptyonoprogne fuligula rufigula...195, 200
Pycnonotidae 72
Pycnonotus 73
Pyroderus 73
Pyrrhocorax 135
quail 103, 214–19, 274
Bobwhite 214
Quiscalus 73
quiscula versicolor.....262, 483
rabbit....16, 37, 151–52, 154–58, 203, 213, 218, 240, 250, 273–74, 284, 346, 352, 389–90, 425, 432, 436, 454, 493, 530–31, 573, 650, 653, 663, 666
Black-tailed Jack 214
Brush.....274
Cottontail...154, 157, 160, 273, 538
European 288
Jack.....214, 216–18, 493
Raccoon.....214, 216–19, 273–74
rail.....206
Ramphastos 72
rat....13, 16–21, 117, 122, 124, 133, 151–56, 186, 213, 240, 352, 426–29, 517
Albino 288
Banner-tailed Kangaroo 626
Cotton.....208, 218, 425–29, 545–46
Eastern Water 443
Flores Island Giant Tree.....85
Hispid Cotton..206, 214, 426, 494, 538, 625
Kangaroo 626
Merriam's Kangaroo.....626
Norway 213
Ord's Kangaroo.....626
Spiny.....207–08, 253
Tomes' Spiny.....206
White.....16, 240, 426, 663, 666
Rattlesnake, Western Diamond-backed 622
Rattus.....117, 124, 130, 140
eha 128, 132
frugivorus.....244, 246, 248
fulvescens 130, 133
losea 341, 344
nitidus nitidus 130
norvegicus.....213, 244, 248, 288
rattoides 117, 130
rattus....52, 117, 248, 251, 446, 643
brunneus.....137
surifer 79, 83
Reithrodontomys 538
creper 251
reptile....207, 209, 251, 431, 435, 535
Reptilia 145, 207, 246, 251
Roadrunner 494
Robin 483
American 483
rodent....4, 52, 118, 120, 122, 126, 128, 135, 140, 146, 205–08, 214, 228–29, 231–32, 249, 251, 253, 271, 273, 297–98, 323–24, 327, 341, 345, 354, 357, 363, 425, 480, 494, 522, 625, 637, 639, 641, 647, 649–50, 654, 701–02
Rodentia...116–17, 121–22, 124, 128, 130, 133, 248, 251, 401, 494, 695
Rousettus aegyptiacus 647
Saccopteryx bilineata....244, 246–47, 477–78
leptura 244, 247
Saccostomus campestris.....643, 647
Sanguinus geoffroyi 251
Sarcophilus harrisii 415, 417
Sauria 246
Scalopus aquaticus.....370
Sciuridae.....116, 122, 130, 248, 701
Sciurus 248
granatensis 251
griseus 296
Scotinomys xerampelinus 251
seal, elephant 146
Selenarctos thibetanus 117
Sericulus 73
serow 125
Serpentes 246, 251
sheep....13, 118, 134, 144, 146–47, 150–53, 155–56, 159, 214, 274, 390, 433, 519–27, 637, 650
shrew....122, 296–98, 327, 641–42, 654
Pacific 296–97
Smoky 369
Trowbridge's 296–98
Vagrant 296–98
Water 297
Shrew-mole 296–97
Sigmodon hispidus....206, 214, 251, 426–27, 494, 538, 545, 625
hispidus berlandieri 426
mexicanus 494
Skunk, Eastern Spotted.....296
Striped 274, 494
sloth 206
Three-toed 207
snake.....431–36, 622, 647–49
Brown House 648
Garter.....295, 433
Sorex 116
cylindricaudata 133
fumeus 369–70
pacificus 296
palustris 297
trowbridgii 296
vagrans 296
yaquinae 296
Soricidae..116, 121, 124, 128, 130, 133
Soriculus.....128, 130, 133
caudatus.....121, 128
nigrescens 130, 133
sparrow 135
House 23, 483
Spermophaga 601
haematina 601
Spermophilus 494
beecheyi 357
lateralis 654–55, 701
tridecemlineatus 370
Sphenorynchus abdimii 703
Spilogale putorius 296
Spizella 73
squab 536
Squamata 246, 251
squirrel 116, 122, 206, 701
California Ground.....274, 357
Douglas' 297
flying 124
Golden-mantled Ground..654, 701
Gray 274
ground 494
Mexican Ground 494
Northern Flying.....296
Red 147
tree 452
Western Gray.....296
Yellow-bellied 116
starling 483, 601
Stork, Abdim 703
Open-billed 703
Strepera 73
Strigiformes 72
Sturnidae 72, 483
Sturnira lilium 246, 248
Sturnus 73
vulgaris 483
Suncus murinus.....137
Surnia 72
Swallow, Cliff.....194
Sylvia 73

Sylvilagus 157, 160, 273, 480, 538
brasiliensis 251
floridanus 274
Tachyphonus rufus 244, 247
Talpa europaea 370
Tamandua tetradactyla 248, 251
Tamiasciurus douglasi 297
Tasmanian Devil 415
Tatera brantsi 644
leucogaster 643
Tayassu tajaca 251
Tchagra 73
Teiidae 246
Testudinata 251
Testudo kleinmanni 213
Tetrao 72
Thamnophis 295
sirtalis 432
Thrasher, Curve-billed 494
Thraupidae 247
Threskiornis aethiopicus
aethiopicus 703
toad.....207, 648–49
Tonatia 246
silvicola 246, 248
tortoise 213
Toxostoma 73
curvirostre 494
Trachops cirrhosus 244, 246, 248
Trichosurus vulpecula 443
Troglodytes 73
aedon 244, 247
Troglodytidae 72, 247
Trogon 72
Trogoniformes 72
Tropsidurus torquatus 244, 246
Tuan 415
Tupinambis nigropunctatus..244, 246
Turdidae 247, 483
Turdus 73
leucomelas 244, 247
migratorius 483
turkey.....111, 113–14, 359–62
turtle 207
Tylonycteris 634
Tyto alba 213
Urocissa 73
Urotrichus talpoides 370
Ursidae 117
Vero 275
Vespertilionidae.....248, 394, 503
Viverridae 124, 248
vole.....127, 273, 327, 654
Creeping 296
Meadow.....155, 213, 273
Montane 296–97
Vombatus ursinus hirsutus.....571
Vulture, Cape 195
wallaby 240
warthog 284
Wolf, Red 494
Wombat, Common 571
woodchuck 274
woodrat 215–16, 218, 480
Bushy-tailed.....296–97, 694
Dusky-footed 296, 344
Eastern 214
Southern Plains 494, 626
Xenarthra 494
yak 118, 134
Zapodidae 341
Zenaidura.....72
zhum 118
Zonotrichia 73
Zoothera 73
dauma.....128
mollisima 128
Zosteropidae 72
Zygodontomys brevicauda
microtinus 244, 246, 248
microtinus 251